


TABLE OF CONTENTS

ATV Accessory Compatibility Guide	5
FEATURED PACKAGES	
2024 Outlander X xc 1000R	7
2024 Outlander X xc 1000T ABS	8
2024 Outlander MAX DPS 1000 T ABS	9
2024 Outlander MAX XU+ 1000 T	10
2024 Outlander MAX XT-P 1000 T ABS	11
2024 Outlander X mr 1000R	12
2024 Outlander 6x6 XU+ 450 T	13
2024 Outlander 6x6 XU+ 650 T	14
2024 Outlander 6x6 XU+ 1000 T	15
2024 Outlander MAX 6x6 XU+ 450 T	16
2024 Outlander MAX 6x6 XU+ 650 T	17
2024 Outlander MAX 6x6 XU+ 100 T	18
2024 Renegade 110 EFI	19
2024 Renegade X xc 110 EFI	20
2024 Renegade X xc 1000 T ABS	21
G2, G2L, G2S ACCESSORIES	00
	22
FEATURED PACKAGES	
2024 Outlander PRO HD5 T	65
2024 Outlander PRO XU HD5	66
2024 Outlander PRO XU HD5 T	67
2024 OutlanderPRO XU H7	68
2024 Outlander PRO XU HD7 T	69
2024 Outlander PRO XU HD7 T ABS	70
2024 Outlander MAX PRO XU HD7 T	71
2024 Outlander MAX DPS 500 T ABS	72
2024 Outlander MAX DPS 700 T ABS	73
2024 Outlander MAX XT 700 T ABS	74
2024 Outlander X mr 700	75
G3L ACCESSORIES	79
DADTE AND MAINTENANCE	
PARTS AND MAINTENANCE	106
CANAMOFFROAD.COM	
	DDD Io~~
© 2023 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the are trademarks of BRP or its affiliates. All other trademarks are the property of their re owners. BRP reserves the right to discontinue or change specifications, prices, designs, models or equipment without incurring obligation. Some models depicted may include equipment. Products performance may vary depending on weather, temperature, altitud ability and driver/passenger weight. BRP recommends that all ATV-SSV drivers take as	espective features.

© 2023 Bombardier Recreational Products Inc. (BRP), All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its affiliates. All other trademarks are the property of their respective owners. BRP reserves the right to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Products performance may vary depending on weather, temperature, altitude, driving ability and driver/passenger weight. BRP recommends that all ATV-SSV drivers take a training course. See your dealer. ATVs and SSVs can be hazardous to operate. Never exceed the ATV-SSV's passenger capacity. All adult model ATV are meant to be used by drivers aged 16 and older. Carefully read the vehicle's operator's guide. Follow all instructional and safety material and observe applicable laws and regulations. ATVs and SSVs are primarily designed for use on unpaved surfaces (off-road); avoid paved surfaces. For your safety, the operator and passenger(s) must wear a helmet, eye protection and applicable protective clothing. Always remember that riding, alcohol and drugs don't mix. Never engage in stunt driving. Avoid excessive speed and be particularly careful on difficult terpian. Always ride responsibly and safely. See your authorised BRP particularly careful on difficult terpian. Always ride responsibly and safely. See your authorised BRP









If you can dream it, you can build it. And ride it. Creating a Can-Am vehicle tailor-made for our riders' needs has never been easier. Scan the QR code and follow the step-by-step above. BUILD YOURS NOW

ATV ACCESSORY COMPATIBILITY GUIDE


We've made things super simple.

- Check your model year
- Choose engine and model
- Learn your **PLATFORM CODE**

This **PLATFORM CODE** will let you know at a glance if the accessory is compatible with your vehicle.

Model year	Model	Engine configuration	Platform code
2015	Outlander L	450, 500	G2L
	Outlander	500, 650, 800, 1000	G2
	Outlander L MAX	450, 500	G2L
	Outlander MAX	500, 650, 800, 1000	G2
	6x6	650, 1000	G2
	Renegade	500, 800, 1000	G2S
2016	Outlander L	450, 570	G2L
2010	Outlander	570, 650, 850, 1000	G2
	Outlander L MAX	450, 570	G2L
	Outlander MAX	570, 650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2017	Outlander	450, 570	G2L
2018	Outlander	650, 850, 1000	G2
2010	Outlander MAX	450, 570	G2L
	Outlander MAX	650, 850, 1000	G2
	6x6	650, 1000	G2
	Renegade	570, 850, 1000	G2S
2019	Outlander	450, 570	G2L
2020 2021 2022 2023 2024	Outlander	650, 850, 1000R	G2
	Outlander MAX	450, 570	G2L
	Outlander MAX	650, 850, 1000R	G2
	6x6	450	G2L
	6x6	650, 1000	G2
	Renegade	570, 650, 850, 1000R	G2S
	Outlander	500, 700	G3L
	Outlander PRO	HD5, HD7	G3L





MY24 OUTLANDER X xc 1000R

Not sold in Finland or Norway.



Chalk Gray & Can-Am Red

HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Visco-4Lok front differential
 FOX† PODIUM† 1.5 RC2 shocks
- A-arms HMWPE protectors

- 14 in. (35.6 cm) cast-aluminum beadlock wheels
 26 in. (66 cm) ITP Terracross radial tires
 Front, center & footwell aluminum skid plates
- Aluminum sport bumper with aluminum pre-runner and top brace
- Aluminum taper-profile handlebar with full wrap handguards
 Painted plastics for premium look
- 7.6 in wide digital display

Туре	68 k W (91 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Over 60 km/h

SUSPENSIONS

Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	FOX† 1.5 PODIUM† RC2
Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel
Rear Shocks	FOX† 1.5 PODIUM† RC2

TIRES / WHEELS

Front & Rear Tires	ITP† Terracross 26 x 8/10 x 14 in. (66 x 20.3 / 25.4 x 35.6 cm)
Wheels	14-in. (35.6 cm) cast-aluminum beadlock

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	836 lb (379 kg)
LxWxH	86 x 48 x 49.5 in. (218.4 x 121.9 x 126 cm)
Wheelbase	51 in. (129.5 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Rear: 200 lb (90 kg)
Storage Capacity	5.7 gal (21.4 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	7.6 in wide digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	Prewired for available winch
Seat	Standard
Handlebar	Aluminum taper-profile handlebar with full wrap handguards
Protection	Aluminum front bumper with pre-runner and top brace Front, center & footwell aluminum skid plates A-arms HMWPE protectors Mudguards

actory warranty	2-year BRP limited warranty
-----------------	-----------------------------

MY24 OUTLANDER X xc 1000 T ABS



HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS) Anti-Lock Braking System (ABS)
- Visco-4Lok front differential

- FOX† PODIUM† 1.5 RC2 shocks
 A-arms MWPE protectors
 14 in. (35.6 cm) cast-aluminum beadlock wheels
- 26 in. (66 cm) ITP Terracross radial tires
 Front, center & footwell aluminum skid plates
- Aluminum taper-profile handlebar with full wrap handguards
- Painted plastics for premium look
- 7.6 in wide digital display

ENGINE

Туре	60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD modes with Brake Traction Control (BTC)
Driving Assistance	ECO / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h

SUSPENSIONS

Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	FOX† 1.5 PODIUM† RC2
Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel
Rear Shocks	FOX† 1.5 PODIUM† RC2

TIRES / WHEELS

Front Tires	ITP† Terracross 26 x 8 x 14 in. (66 x 20.3 x 35.6 cm)
Rear Tires	ITP† Terracross 26 x 10 x 14 in. (66 x 25.4 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum beadlock

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight*	853.6 lb (387.2 kg)
LxWxH	87 x 48 x 58.7 in. (218.4 x 121.9 x 149.1 cm)
Wheelbase	51 in. (129.5 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg) / Rear: 200 lb (90 kg)
Storage Capacity	5.7 gal (21.4 L)
Towing Capacity	750 kg trailer with brakes and 335 kg trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	7.6 in wide digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	N/A
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Standard
Handlebar	Aluminum taper-profile handlebar with full wrap handguards
Protection	Front, center & footwell aluminum skid plates A-arms HMWPE protectors Mudguards

_	
Factory warranty	2-year BRP limited warranty

MY24 OUTLANDER MAX DPS 1000 T ABS



HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
 Anti-Lock Braking System (ABS)
 14 in. (35.6 cm) cast-aluminum wheels
 26 in. (66 cm) ITP Terracross radial tires

- Heavy-duty front bumper

ENGINE

Туре	60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD modes with Brake Traction Control (BTC)
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h
SUSPENSIONS	
Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	Twin tube
Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel
Rear Shocks	Twin tube
TIRES / WHEELS	
Front & Rear Tires	ITP† Terracross 26 x 8/10 x 14 in. (66 x 20.3 / 25.4 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	901.6 lb (409 kg)
LxWxH	94 x 48 x 62.2 in. (238.8 x 121.9 x 158 cm)
Wheelbase	59 in. (149.9 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg) / Rear: 200 lb (90 kg)
Storage Capacity	5.7 gal (21.4 L)
Towing Capacity	1,650 lb (750 kg) trailer with brakes and 740 lb (335 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	N/A
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Convertible Rack System (CRS)
Handlebar	Standard
Protection	Heavy-Duty front bumper Mudguards

WARRANTY

2-year BRP limited warranty Factory warranty

MY24 OUTLANDER MAX XU+ 1000 T



HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Visco-4Lok† front differential
 26 in. (66 cm) Carlisle ACT HD 6-ply tires
- 12 in. (30.5 cm) cast-aluminum wheels
- Heavy-duty front bumper
 3,500-lb (1,588 kg) winch
- Heated grips and throttle
- Speed limiter

Protection

WARRANTY Factory warranty

ENGINES	1000
Туре	60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco- 4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h
SUSPENSIONS Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	Twin tube
Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel
Rear Shocks	Twin tube
TIRES / WHEELS	
Front & Rear Tires	Carlisle† ACT HD 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast-aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers

Single 214 mm disc brake with hydraulic

twin-piston caliper

Estimated Dry Weight *	954 lb (433 kg)
_xWxH	94 x 48 x 62.2 in. (238.8 x 121.9 x 158 cm)
Vheelbase	59 in. (149.9 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg) / Rear: 200 lb (90 kg)
Storage Capacity	5.7 gal (21.4 L)
Towing Capacity	1,650 lb (750 kg) trailer with brakes and 740 lb (335 kg) trailer without brakes
Tuel Compositu	E 4 mal (20 E L)
-uei Capacity	5.4 gal (20.5 L)
FEATURES Gauge	4.5 in. digital display
EATURES Gauge	
EATURES	4.5 in. digital display
FEATURES Gauge nstrumentation	4.5 in. digital display DC outlet, 15-A connector RF Digitally Encoded Security System
FEATURES Gauge Instrumentation Ingnition Inglier inguiting	4.5 in. digital display DC outlet, 15-A connector RF Digitally Encoded Security System (D.E.S.S.™)
EEATURES Gauge Instrumentation Ingnition Inglighting Vinch	4.5 in. digital display DC outlet, 15-A connector RF Digitally Encoded Security System (D.E.S.S.™) LED headlights
FEATURES Gauge Instrumentation Ingnition	4.5 in. digital display DC outlet, 15-A connector RF Digitally Encoded Security System (D.E.S.S.™) LED headlights 3,500-lb (1,588 kg) winch Towing hitch with trailer plug, directional
EATURES lauge Instrumentation Ingnition Inghiting Inghiting Inch Inch Inch Inch Inch Inch Inch Inch	4.5 in. digital display DC outlet, 15-A connector RF Digitally Encoded Security System (D.E.S.S.™) LED headlights 3,500-lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn Reinforced seat skin

Heavy-duty front bumper

2-year BRP limited warranty

Mudguards

Rear

MY24 OUTLANDER MAX XT-P 1000 T ABS



HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
 Anti-Lock Braking System (ABS)
 Visco-4Lok front differential

- FOX† 1.5 PODIUM† QS3 shocks
 14 in. (35.6 cm) cast-aluminum beadlock wheels
 26 in. (66 cm) ITP Terracross radial tires
- Heavy-duty front and rear bumpers
- Painted plastics for premium look3,500-lb (1,588 kg) winch

- Aluminum taper-profile handlebar with full wrap handguards
- 7.6 in. wide digital display

E	N	CI	INI	E

Туре	60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD modes with Brake Traction Control (BTC)
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h

SUSPENSIONS

Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	FOX† 1.5 PODIUM† QS3
Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel
Rear Shocks	FOX† 1.5 PODIUM† QS3

TIRES / WHEELS

(66 x 20.3 / 25.4 x 35.6 cm)
14 in. (35.6 cm) cast-aluminum beadlock

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	901.6 lb (409 kg)
LxWxH	94 x 48 x 62.2 in. (238.8 x 121.9 x 158 cm)
Wheelbase	59 in. (149.9 cm)
Ground Clearance	11 in. (27.9 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Front: 100 lb (45 kg) / Rear: 200 lb (90 kg)
Storage Capacity	5.7 gal (21.4 L)
Towing Capacity	1,650 lb (750 kg) trailer with brakes and 740 lb (335 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES	
Gauge	7.6 in wide digital display
Instrumentation	DC outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Convertible Rack System (CRS)
Handlebar	Aluminum taper-profile handlebar with full wrap handguards
Protection	Heavy-duty front & rear bumpers Mudguards

Factory warranty	2-year BRP limited warranty
r dotory warranty	L your bitt militou warranty

MY24 OUTLANDER X MR 1000R

Not sold in Norway or Sweden.



HIGHLIGHTS

- Rotax® snorkeled V-Twin engine with relocated CVT intake and outlet
- Relocated radiator
- Continuously Variable Transmission (CVT) with extra low L-gear
 Tri-Mode Dynamic Power Steering (DPS)
- Visco-4Lok front differential
- Front and rear gas shocks
 14 in. (35.6 cm) cast-aluminum wheels
- 30 in. (76.6 cm) ITP Cryptid† tires
- Heavy-duty front and rear bumpers
 3,500-lb (1,588 kg) winch
- Mud-riding footrests
- 59 in. (149.9 cm) wheelbase
- X-package coloration, graphics and seat cover

ENGINE

Туре	68 k W (91 hp), Rotax® 976 cc V-twin, snorkeled, liquid cooled with relocated radiator
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	ECO / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Over 60 km/h
SUSPENSIONS	

Front Suspension	Arched double A-arm with front sway bar
Front Shocks	Showa Gas shock
Rear Suspension	Torsional Trailing arm Independent (TTI)
Rear Shocks	Showa Gas shock

TIRES / WHEELS

Front & Rear Tires	ITP† Cryptid 30 x 9/9 x 14 in. (76.6 x 22.9 / 22.9 x 35.6 cm)
Wheels	14-in. (35.6 cm) cast-aluminum

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	1,013 lb (459 kg)
LxWxH	97 x 50 x 51.5 in.
	(246 x 127 x 131 cm)
Wheelbase	59 in. (149.9 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	36.75 in. (93.3 cm)
Rack Capacity	Rear: 200 lb (90 kg)
Storage Capacity	5.7 gal (21.4 L)
Towing Capacity	1,650 lb (750 kg)
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	7.6 in wide digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	3,500-lb (1,588 kg) winch
Seat	Standard
Handlebar	Standard
Protection	Heavy-duty front & rear bumpers Mud-riding footrests Mudguards

Factory warranty	2-year BRP limited warranty

MY24 OUTLANDER 6X6 XU+ 450 T



HIGHLIGHTS

- Selectable 4WD / 6WD front differential
- Tri-Mode Dynamic Power Steering (DPS)
- Continuously Variable Transmission (CVT) with extra low L-gear
- 12 in. (30.5 cm) cast-aluminum wheels
- 26 in. (66 cm) Carlisle† ACT HD 6-Ply tires

- 3,500-lb (1,588 kg) winch Heavy-duty front bumper Heated grips and throttle
- Rear bed with cargo extenders
- Speed limiter

ENGINE	
Type	

Туре	28 kW (38 hp), Rotax® 427 cc single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 4WD / 6WD with Visco-Lok† QE auto-locking front differential
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h

SUSPENSIONS

Front Suspension	Double A-arm 9 in. (22.9 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22.4 cm) travel
Rear Shocks	Twin tube

TIRES / WHEELS

Front Tires	Carlisle† ACT HD 26 x 8 x 12 in. (66 x 20.3 x 30.5 cm)
Rear Tires	Carlisle† ACT HD 26 x 10 x 12 in. (66 x 25.4 x 30.5 cm)
Wheels	12-in. (30.5 cm) cast-aluminum
-	

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	443 kg
LxWxH	279 x 118.8 x 147.4 cm
Wheelbase	208 cm
Ground Clearance	26.7 cm
Seat Height	85.8 cm
Rack Capacity	Front: 54 kg / Rear: 159 kg
Storage Capacity	2.9 gal (10.9 L)
Towing Capacity	2,000 lb (907 kg) trailer with brakes and 1,250 lb (465 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	Mechanical key
Lighting	70 W headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Reinforced seat skin
Handlebar	Standard with heated grips & throttle
Protection	Heavy-Duty front bumper

Factory warranty	2-year BRP limited warranty
------------------	-----------------------------

MY24 OUTLANDER 6X6 XU+ 650 T



- Selectable 4WD / 6WD with Visco-4Lok† auto-locking front differential
- Tri-Mode Dynamic Power Steering (DPS)
 Continuously Variable Transmission (CVT) with extra low L-gear
- 14 in. (35.6 cm) aluminum wheels
- 26 in. (66 cm) ITP Terracross tires
- 3,500-lb (1,588 kg) winch
- Dump dual-level cargo box with modular accessories
- Heated grips and throttle
 RF Digitally Encoded Security System (D.E.S.S.™)
 Speed limiter

ENGINE	650
Туре	44 kW (59 hp), Rotax® 650 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 4WD / 6WD / Lock 4WD with Visco- 4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h

SUSPENSIONS

Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel
Rear Shocks	Twin tube

TIRES / WHEELS

Front & Rear Tires	ITP† Terracross 26 x 8/10 x 14 in. (66 x 20.3 / 25.4 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	574 kg
LxWxH	297 x 122 x 149.4 cm
Wheelbase	208 cm
Ground Clearance	27.9 cm
Seat Height	87.7 cm
Rack Capacity	Front: 45 kg / Rear: 318 kg
Storage Capacity	Dual-level cargo box with sidewalls and tailgate Rear: 18.5 gal (70 L)
Towing Capacity	2,000 lb (907 kg) trailer with brakes and 1,486 lb (674 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Reinforced seat skin
Handlebar	Standard with heated grips & throttle
Protection	Heavy-duty front bumper

Footom::::::::::::::::::::::::::::::::::	O vecan DDD limpite of vecanomity
Factory warranty	2-year BRP limited warranty

MY24 OUTLANDER 6X6 XU+ 1000 T



HIGHLIGHTS

- Selectable 4WD / 6WD with Visco-4Lok† auto-locking front differential
- Tri-Mode Dynamic Power Steering (DPS)
- Continuously Variable Transmission (CVT) with extra low L-gear
- 14 in. (35.6 cm) aluminum wheels 26 in. (66 cm) ITP Terracross tires 3,500-lb (1,588 kg) winch

- Dump dual-level cargo box with modular accessories
- Heated grips and throttle
- Speed limiter
- RF Digitally Encoded Security System (D.E.S.S.™)
- Painted plastics for premium look

1000
60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
CVT Extra low L / H / N / R / P
Selectable 4WD / 6WD / Lock 4WD with Visco- 4Lok front differential
Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Tri-Mode Dynamic Power Steering (DPS)
Up to 60 km/h
Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Twin tube
Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel
Twin tube
ITP† Terracross 26 x 8/10 x 14 in. (66 x 20.3 / 25.4 x 35.6 cm)

Dual 214 mm disc brakes with hydraulic

Dual 214 mm disc brakes with hydraulic

twin-piston calipers

twin-piston calipers

DIMENSIONS / CA	PACITIES
Estimated Day Waig	h+ *

Estimated Dry Weight *	576 kg
LxWxH	297 x 122 x 149.4 cm
Wheelbase	208 cm
Ground Clearance	27.9 cm
Seat Height	87.7 cm
Rack Capacity	Front: 45 kg / Rear: 318 kg
Storage Capacity	Dual-level cargo box with sidewalls and tailgate Rear: 18.5 gal (70 L)
Towing Capacity	2,000 lb (907 kg) trailer with brakes and 1,486 lb (674 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Reinforced seat skin
Handlebar	Standard with heated grips & throttle
Protection	Heavy-duty front bumper

WARRANTY

2-year BRP limited warranty Factory warranty

BRAKES

Front

Rear

MY24 OUTLANDER MAX 6X6 XU+ 450 T



HIGHLIGHTS

- Selectable 4WD / 6WD front differential
- Tri-Mode Dynamic Power Steering (DPS)
 Continuously Variable Transmission (CVT) with extra low L-gear
 12 in. (30.5 cm) cast-aluminum wheels
- 26 in. (66 cm) Carlisle† ACT HD 6-Ply tires
- 3,500-lb (1,588 kg) winch
- Heavy-duty front bumper
- Heated grips and throttle

- Rear bed with cargo extenders
 RF Digitally Encoded Security System (D.E.S.S.™)
- Speed limiter

N		

Туре	28 kW (38 hp), Rotax® 427 cc single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 4WD / 6WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h

SUSPENSIONS

Front Suspension	Double A-arm 9 in. (22.9 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 8.8 in. (22.4 cm) travel
Rear Shocks	Twin tube

TIRES / WHEELS

Front & Rear Tires	Carlisle† ACT HD 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast-aluminum

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	468 kg
LxWxH	300 x 117 x 168.4 cm
Wheelbase	228.5 cm
Ground Clearance	26.7 cm
Seat Height	85.8 cm
Rack Capacity	Front : 54 kg / Rear: 159 kg
Storage Capacity	2.9 gal (10.9 L)
Towing Capacity	2,000 lb (907 kg) trailer with brakes and 1,250 lb (465 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	70 W headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Reinforced seat skin Convertible Rack System (CRS)
Handlebar	Standard with heated grips & throttle
Protection	Heavy-duty front bumper

Factory warranty	2-year BRP limited warranty
ractory warranty	2 your 2111

MY24 OUTLANDER MAX 6X6 XU+ 650 T



HIGHLIGHTS

- Selectable 4WD / 6WD with Visco-4Lok† auto-locking front differential
- Tri-Mode Dynamic Power Steering (DPS)
 Continuously Variable Transmission (CVT) with extra low L-gear
- 14 in. (35.6 cm) aluminum wheels
- 26 in. (66 cm) ITP Terracross tires
- 3,500-lb (1,588 kg) winch
- Dump dual-level cargo box with modular accessories
- Heated grips and throttle
- RF Digitally Encoded Security System (D.E.S.S.™) Speed limiter

ENGINE	650
Туре	44 kW (59 hp), Rotax® 650 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 4WD / 6WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h
SUSPENSIONS	
F :0 :	A

Front Suspension	Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel
Rear Shocks	Twin tube

TIRES / WHEELS

Front & Rear Tires	ITP† Terracross 26 x 8/10 x 14 in. (66 x 20.3 / 25.4 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	595 kg
LxWxH	317 x 123 x 163.4 cm
Wheelbase	228.5 cm
Ground Clearance	27.9 cm
Seat Height	87.7 cm
Rack Capacity	Front: 45 kg / Rear: 318 kg
Storage Capacity	Dual-level cargo box with sidewalls and tailgate Rear: 18.5 gal (70 L)
Towing Capacity	2,000 lb (907 kg) trailer with brakes and 1,486 lb (674 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Reinforced seat skin Convertible Rack System (CRS)
Handlebar	Standard with heated grips & throttle
Protection	Heavy-Duty front bumper

Factory warranty 2-year BRP limited warranty
--

MY24 OUTLANDER MAX 6X6 XU+ 1000 T



HIGHLIGHTS

- Selectable 4WD / 6WD with Visco-4Lok† auto-locking front differential
- Tri-Mode Dynamic Power Steering (DPS)
- Continuously Variable Transmission (CVT) with extra low L-gear
- 14 in. (35.6 cm) aluminum wheels
- 26 in. (66 cm) ITP Terracross tires
- 3,500-lb (1,588 kg) winch
- Dump dual-level cargo box with modular accessories
- Heated grips and throttle
- RF Digitally Encoded Security System (D.E.S.S.™)
- · Speed limiter
- Painted plastics for premium look

ENGINE	1000
Туре	60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT Extra low L / H / N / R / P
Drive Train	Selectable 4WD / 6WD / Lock 4WD with Visco-4Lok front differential
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h

SUSPENSIONS Front Suspension Arched double A-arm with front sway bar 9.2 in. (23.3 cm) travel Front Shocks Twin tube Rear Suspension Double Torsional Trailing arm Independent (TTI2) with quick-release sway bar 9.9 in. (25.1 cm) travel Rear Shocks Twin tube TIRES / WHEELS Front & Rear Tires ITP† Terracross 26 x 8/10 x 14 in.

BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm disc brakes with hydraulic twin-piston calipers

(66 x 20.3 / 25.4 x 35.6 cm)

14 in. (35.6 cm) cast-aluminum

DIMENSIONS / CAPACITIES

DIMEROIONO / O/M/NOTTIEC	'
Estimated Dry Weight *	597 kg
LxWxH	317 x 123 x 163.4 cm
Wheelbase	228.5 cm
Ground Clearance	27.9 cm
Seat Height	87.7 cm
Rack Capacity	Front: 45 kg / Rear: 318 kg
Storage Capacity	Dual-level cargo box with sidewalls and tailgate Rear: 18.5 gal (70 L)
Towing Capacity	2,000 lb (907 kg) trailer with brakes and 1,486 lb (674 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	3,500-lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Reinforced seat skin Convertible Rack System (CRS)
Handlebar	Standard with heated grips & throttle
Protection	Heavy-Duty front bumper

WARRANTY

Factory warranty	2-year BRP limited warranty

Wheels

MY24 RENEGADE 110 EFI



HIGHLIGHTS

- For ages 10 and up
- 4-stroke engine with Electronic Fuel Injection (EFI)
- Fully automatic continuously variable transmission (CVT)
- Independent A-arm front suspension
- Electric start
 Built-in throttle limiter

ENGINE

Туре	112 cc 4-stroke single cylinder, air cooled
Fuel Delivery System	Electronic Fuel Injection (EFI) with built-in throttle limiter
Transmission	CVT, F / N / R
Drive Train	Chain driven / 2WD Electric starting system
Power Steering	N/A

SUSPENSIONS

Front Suspension	Single A-arm 5 in. (12.7 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Swingarm 6 in. (15.2 cm) travel
Rear Shocks	Twin Tube

TIRES / WHEELS

Front Tires	19 x 7 x 8 in. (48.3 x 17.8 x 20.3 cm)
Rear Tires	18 x 9.5 x 8 in. (45.7 x 24.1 x 20.3 cm)
Wheels	8 in. (20.3 cm) steel

RRAKES

DIUUCEO	
Front	Dual drum brakes
Rear	Single drum brakes

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	295 lb (134 kg)
LxWxH	60.6 x 40.4 x 38.6 in. (154 x 103 x 98 cm)
Wheelbase	41 in. (105 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame / 4.5 in. (11.4 cm) under rear axle
Seat Height	28 in. (71 cm)
Rack Capacity	N/A
Storage Capacity	N/A
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)

FEATURES

Gauge	Neutral, reverse, fuel level & check engine lights
Instrumentation	N/A
Ingnition	Mechanical key
Lighting	Halogen running headlights
Winch	N/A
Seat	Standard
Handlebar	Ergonomy & controls sized for 10 years old and up
Protection	Front bumper

Factory warranty	2-year BRP limited warranty

MY24 RENEGADE X xc 110 EFI



HIGHLIGHTS

- For ages 10 and up
- 4-stroke engine with Electronic Fuel Injection (EFI)
- Fully automatic continuously variable transmission (CVT)
 High performance gas shocks
- Double A-arm front suspension
- Electric start
- Built-in throttle limiter
- Sport handguards
- X xc package graphics

ENGINE

Туре	112 cc 4-stroke single cylinder, air cooled
Fuel Delivery System	Electronic Fuel Injection (EFI) with built-in throttle limiter
Transmission	CVT, F / N / R
Drive Train	Chain driven / 2WD Electric starting system
Power Steering	N/A

SUSPENSIONS

Front Suspension	Double A-arm 5.5 in. (14 cm) travel
Front Shocks	Twin Tube
Rear Suspension	Swingarm 6 in. (15.2 cm) travel
Rear Shocks	Twin Tube
TIRES / WHEELS	

Front Tires	19 x 7 x 8 in. (48.3 x 17.8 x 20.3 cm)
Rear Tires	18 x 9.5 x 8 in. (45.7 x 24.1 x 20.3 cm)
Wheels	8 in. (20.3 cm) steel

BRAKES

Front	Dual drum brakes
Rear	Single drum brakes

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	310 lb (140 kg)
LxWxH	60.6 x 42 x 38.6 in. (154 x 108 x 98 cm)
Wheelbase	41 in. (105 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame / 4.5 in. (11.4 cm) under rear axle
Seat Height	28 in. (71 cm)
Rack Capacity	N/A
Storage Capacity	N/A
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)

FEATURES

Gauge	Neutral, reverse, fuel level & check engine lights
Instrumentation	N/A
Ingnition	Mechanical key
Lighting	Halogen running headlights
Winch	N/A
Seat	Standard
Handlebar	Sport handguards Ergonomy & controls sized for 10 years old and up
Protection	Front bumper

Factory warranty	2-year BRP limited warranty

MY24 RENEGADE X xc 1000 T ABS



HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
 Anti-Lock Braking System (ABS)
- FOX† 1.5 PODIUM† RC2 shocks
- 12 in. (30.5 cm) cast-aluminum beadlock wheels
- Front & central skid plates
- Aluminum taper-profile handlebar with full wrap handguards
 X-package coloration, graphics and seat cover

ENGINE

Туре	60 kW (80 hp), Rotax® 976 cc V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD with Brake Traction Control (BTC)
Driving Assistance	Work / Standard / Sport modes Intelligent Engine Braking (iEB™)
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h

SUSPENSIONS Front Suspension

	9.2 in. (23.3 cm) travel
Front Shocks	FOX† 1.5 PODIUM† RC2
Rear Suspension	Torsional Trailing arm Independent (TTI) 9.9 in. (25.1 cm) travel
Rear Shocks	FOX† 1.5 PODIUM† RC2
TIRES / WHEELS	

Arched double A-arm with front sway bar

Front & Rear Tires	ITP Holeshot† ATR 25 x 8/11 x 12 in. (63.5 x 20.3 / 27.9 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast-aluminum beadlock

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS / CAPACITIES

Estimated Dry Weight *	812.6 lb (368.6 kg)
LxWxH	88 x 48 x 58.2 in. (218.4 x 121.9 x 147.8 cm)
Wheelbase	51 in. (129.5 cm)
Ground Clearance	10.5 in. (26.7 cm)
Seat Height	34.5 in. (87.7 cm)
Rack Capacity	Rear: 35 lb (16 kg)
Storage Capacity	N/A
Towing Capacity	1,455 lb (660 kg) trailer with brakes and 740 lb (335 kg) trailer without brakes
Fuel Capacity	5.4 gal (20.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	DC Outlet, 15-A connector
Ingnition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights
Winch	N/A
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Standard
Handlebar	Aluminum taper-profile handlebar with full wrap handguards
Protection	Mudguards Front (plastic) & central (aluminum) skid plates

WARRANTY

2-year BRP limited warranty Factory warranty



G2, G2L, G2S ACCESSORIES

LinQ: Easy On, Easy Off Cargo	25
Racks & Holders	30
Cargo & Storage	31
Can-Am Windshields	33
Handlebars & Mirrors	34
Seats	35
Plastic Skid plates	36
HMWPE Skid Plates	37
Aluminum Skid Plates	38
HMWPE & Aluminum Skid Plates	40
Bumpers & Guards	41
Lights & Electrical	44
Winches	48
Hitches	50
Performance	51
Covers, Decals & Add-Ons	54
Apache Track Systems	56
ProMount Plows	59



BUNDLE UP TO NEVER COMPROMISE. YOUR ATV BUNDLES.

STFP 1.

CHOOSE YOUR ESSENTIAL BUNDLE		G2L G2L MAX	G2 G2 MAX	
	LinQ Base	715002350	N/A	
STARTER	LinQ 23 Gal (86 L) Trunk Box	715004923	715004923	
	Handlebar Wind Deflectors	715001706	715001706	
	LinQ Heavy-Duty Basket	715001215	715001215	
ADVANCED	LinQ Tool Kit	715006829	715006829	
	Handlebar Mirrors	715005366	715005366	
PEAK	Bluetooth Handlebar Soundbar by MTX	219400840	219400840	

CTED A

STEP 2: Pick your <i>f</i>	ADD-ON BUNDLE	G2L G2L MAX	G2 G2 MAX	
	Self-Clearing Footwells	715004759	715004759	
	Electronic Device Holder	715004919	715004919	
ADVENTURE	Storage 2.6 Gal (10 L) Bag	269502121	269502121	
	Fender Flares	715004487	N/A	
	Mud Flaps	N/A	715007089	
HUNT	LinQ Gear Grips	715005340	715005340	
	Gun Boot Rack	715001918	715002113	
	Gun Boot 6.0 Impact by Kolpin	715001419	715001419	
	Expedition Front Bumper	715007233	715007233	
WORK	Large Cargo Box	715007001	715007001	
	LinQ Tool Holder	715007358	715007358	
	USB Power Outlet Kit	219400510	219400510	
	Rachet Tie-Downs	715008309	715008309	
WINTER	Seat Heater	715007211	715007211	
	Heavy-Duty Seat Cover	715007212	715007212	
	High Windshield Kit	715006382	715006382	

G2, G2L, G2S ATVs ACCESSORIES 2024

LINQ: EASY ON, EASY OFF CARGO

LINQ ACCESSORIES

Compatibility/requirements

No tools needed: Quickly install and remove accessories by hand. Equip your Can-Am for specialized tasks in no time. Sturdy mounting system that holds up to the roughest terrain.	OUTLANDER 450/570	OUTLANDER	RENEGADE	
LinQ Accessories with 16" Base	 Lower loading capacity that 	inches apart, center-to-center, n the LinQ with 36" base acce TV and SSV vehicles, Can-Am 9 i-Doo snowmobiles.	ssories.	
LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White				
LinQ Tool Box 715008111			LinQ Luggage Rack	
LinQ SR 5.5 Gal (21 L) Bag 860202449			715001734 & LinQ Anchor Adapter Kit	
LinQ 4.5 Gal (17 L) Sport Bag 860202447	LinQ Adapter Plate 715007273 &	LinQ Anchor Adapter Kit 715004960 &	715004960 OR	
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)	LinQ Base Installation Kit 715008125	LinQ Base Installation Kit 715008125	LinQ Adapter Plate 715007274 &	
LinQ Tool Kit 715006829			LinQ Base Installation Kit 715008125	
LinQ Roll-Top Bag 715008110				
LinQ Accessories with 36" Base		used by Can-Am ORV vehicles an the LinQ with 16" base acce ORV vehicles.		
LinQ 12 Gal (45 L) Cargo Box 715003879	LinQ Base		LinQ Luggage Rack 715001734	
LinQ 23 Gal (86 L) Trunk Box 715008749	715002350			
LinQ 32 Gal (121 L) Trunk Box 715001747 / 715001748 (1-up) 715001749 / 715001750 (MAX	No compatibility			
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018	LinQ Base 715002350	No further requirements		
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black / 715004698 • Gray	No compatibility			
LinQ Premium Storage Bag by OGIO 715002923 • Black				
LinQ Heavy Duty Basket 715001215	LinQ Base 715002350			
LinQ Low Profile Basket 715004282				
LinQ Holders				
LinQ 4" Rack 715001711 • Silver / 715001665 • Black	Not compatible *Alternative 5" or 8" Rack		LinQ Luggage Rack 715001734	
LinQ 6" (15 cm) Rack Extension 715001712 • Silver / 715001671 • Black	Extensions (715001913 or 715001914) are available for G2L			
LinQ Mounted Gear Grips 715005340	LinQ Base	No further requirements		
LinQ Tool Holder 715007358	715002350			
LinQ Gun Boot Rack 715002112 715002113	Not compatible *Alternative Gun Boot Racks (715001918 or 715001919) are available for G2L		No compatibility	

LinQ Accessories with 16" base

LinQ Modular Box

G2, G2L, G2S

715005494 · (10 L) 715007112 · (20 L) 715006830 · (30 L)

· Allows stacking of other modular boxes to always have the right gear accessible.



- · Always have the right box size to fit everything.
- Can be installed on any LinQ base with a 16" width.
- · See table for installation location and requirements.

Thermal Insert For LinQ Modular Box (10 L)

G2, G2L, G2S

219401110



- Insulated liner.
- Fits very well in the LinQ Modular Box (10 L).
- Can contain five 473 ml cans or six 355 ml cans.

LinQ Tool Kit G2, G2L, G2S 715006829



- Includes:
- Cutter pliers
- Long-nose pliers
- Locking plier
- Ratchet wrench 3/8" drive
- 6" ratchet extension
- Integrated CVT belt storage location (belt not included)
- Long-socket 19 mm 3/8" drive - 6pts
- Socket 18 mm 3/8" drive
- Long-socket 17 mm
- 3/8" drive 6pts - Socket 15 mm %" drive
- Socket 13 mm 3/8" drive
- Socket 10 mm 3/8" drive
- Socket 8 mm %" drive

- Combined wrench 19 mm - Combined wrench 18 mm
- Combined wrench 15 mm
- Combined wrench 13 mm
- Combined wrench 10 mm - Combined wrench 8 mm
- Socket Torx T40 %" drive
- Socket Torx T30 %" drive
- Socket Torx T20 %" drive
- Breaker bar 3/8" drive
- See table for installation location and requirements.

■ 219400964 · Black

295100698 · Gray

LinQ 4.2 Gal (16 L) Cooler

G2, G2L, G2S

- All the benefits of LinQ—simple, fast and secure. Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- · Easy one-second on/off tool-less system.
- See table for installation location and requirements.

LinQ Tool Box 715008111 G2, G2L, G2S



- · High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- · Weather-resistant, sealed and lockable cover.
- Marinized for salt water purposes.
- See table for installation location and requirements.

LinQ Roll-Top Bag 715008110 G2, G2L, G2S



- · Fully waterproof Roll-Top dry bag will securely store and
- · LinQ mounted using heavy-duty rigid plastic base.
- · High capacity storage solution 10.6 gal (40 L). - Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the
- · Marinized for salt water purposes.
- See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

G2, G2L, G2S

860202449



- Semi-rigid expandable bag
- 5.5 gal (21 L) capacity.
- · See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag

G2, G2L, G2S

860202447



- 4.5 gal (17 L) capacity.
- Rigid bottom, semi-rigid top.
- See table for installation location and requirements.

LinQ Accessories with 36" base

LinQ 12 Gal (45 L) Cargo Box

G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S

715003879



- · LinQ mounted for easy on, easy off installation.
- · Holds cargo safely and securely while riding.
- · See table for installation location and requirements.

LinQ 23 Gal (86 L) Trunk Box

G2 (except 6x6 models), G2L, G2S

715004923



- · LinQ mounted for easy on, easy off installation.
- · Lockable and weather-resistant.
- Holds cargo safely and securely while riding.
- · Comfort pads for passenger.
- · See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box

G2 (except MAX models & 6x6), G2S

European Version (EC compliant)

715001747 715001748 · No rear tail light.

European Version (EC compliant)



- LinQ Retrofit Adapter Plate (715001334) is required for G1 models.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).
- See table for installation location and requirements.

LinQ 32 Gal (121 L) Trunk Box for Outlander Max

G2 (MAX models only except 6x6 models)

European Version (EC compliant)

715001749 715001750 · No rear tail light.



- Passenger comfort is ensured on active rides as well as longer recreational rides thanks to the ergonomically designed
 passenger padding comfort-fitted with a portion made of closed cell foam that won't absorb water.
- $\boldsymbol{\cdot}$ Very easy to embark even when driver is seated.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).

LinQ 32 Gal (121 L) Trunk Box Panels

G2 (except 6x6 models), G2S



- Color panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle.
 - 715001391 · Black ■ 715001392 · Yellow
 - **715001395** · Viper Red
 - ☐ 715002481 · White
 - 715002480 · Light Gray
 715002984 · Octane Blue
- **715002985** · Manta Green **715002986** · Can-Am Red
- 715006119 · Orange Crush
- **715006120** · Squadron Green
- **715007074** · Tundra Green

LinQ 32 Gal (121 L) Trunk Box Panels

(Not illustrated)

EUROPEAN VERSION (EC compliant)

- Color panels to match the LinQ 32 gal (121 L) Trunk Box to your vehicle.
- · No rear tail light.

■ 715001397 · Black
■ 715001398 · Yellow
■ 715006124 · Viper Red

715006122 · Manta Green 715006121 · Can-Am Red 715006123 · Orange Crush

715002483 · White

LinQ 11.5 Gal (43 L) Audio Cargo Box

G2 (front only for 6x6 & MAX models 2013-2014), G2L, G2S

715003018



- Mounts on/off easily to hold/carry cargo safely and securely.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- · Backlit control panel perfect for night riding.
- · Water-resistant speakers.
- Delivers the best sound quality on the market to sweeten your ride courtesy of a built-in full range high-efficiency amplifier.
- See table for installation location and requirements.

LinQ 8 Gal (30 L) Cooler Box

G2 (except 6x6 models), G2S

■ 715004778 · Black ■ 715004698 · Grav



- LinQ mounted for easy on, easy off installation.
- · Rotomolded construction provides exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- · Integrated, fully-removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- · Weather-resistant.
- · Convenient drain plug.
- · See table for installation location and requirements

LinQ Premium Storage Bag by OGIO

G2 (except 6x6 models), G2L, G2S

■ 715002923 · Black



- LinQ mounted for easy on, easy off installation.
- · Holds cargo safely and securely while riding.
- · See table for installation location and requirements.

LinQ Low Profile Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715004282



- Low profile, open basket increases cargo space
- Perfect for easy access to tools, rope, winch and plow accessories.
- Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.
 See table for installation location and requirements
- See table for installation location and requirements.

LinQ Heavy-Duty Basket

G2, G2L (front only for MAX & 6x6 models), G2S

715001215



- · Made of high-strength, low-alloy steel.
- LinQ mount for easy on, easy off installation.
- Can be placed on both front and back racks of vehicle.
- See table for installation location and requirements

Large Cargo Box

G2, G2L (except 6x6)

715007001



- · Rear bed to carry large items
- Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- $\cdot \text{ It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable. } \\$

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

LinQ Holders

LinQ Tool Holder G2, G2S, G2L



· Ultra-versatile tool holder.

- Convenient swivel-latch allows tools to be stored in any orientation.
- Sold in pairs.

LinQ Gear Grips | G2, G28, G2L | 715005340



• Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.

715007358

- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- $\boldsymbol{\cdot}$ Make transporting your tools a snap by combining the Gear Grips with the LinQ System.
- 360° orientation.
- · Sold in pairs.

LinQ Mounting

LinQ Anchor Adapter Kit G2, G2S 715004960



- · Allows the installation of accessories with LinQ base of 16" on LinQ racks.
- · Tool-less installation and removal.
- For G2S, the LinQ Luggage Rack (715001734) is required for installation.

LinQ Base | G2L | 715002350



- Made of polypropylene glass fiber.
- · Allows you to install LinQ accessories.
- · Sold in pack of 4.

LinQ Lock G2, G2S, G2L, 860201968



- Simple way to securely lock most LinQ accessories.
- Lock cover protects lock from the elements.
- Corrosion resistant.
- Pack of 1, includes 2 keys.
- Not compatible with LinQ 4.2 US gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.

LinQ Replacement Parts



- Unique mounting fastener usable on any LinQ System accessory.
- Tool-less installation and removal.
- Sold in pairs.

RACKS & HOLDERS

LinQ Rack Extension - 4" (10 cm)

G2, G2S

715001711 · Silver ■ 715001665 · Black



· Fits front or rear.

- Strong and durable
- Helps keep cargo securely in place.
- ${\boldsymbol{\cdot}}$ Easy and tool-less installation thanks to the LinQ System.
- · Anti-corrosion coating with durable powder coat finish.
- · LinQ Luggage Rack (715001734) is required for G2S.

LinQ Rack Extension - 6" (15 cm)

G2. G2S

715001712 · Silver ■ 715001671 · Black



Fits front or rear.

- Strong and durable.
- · Helps keep cargo securely in place.
- Easy and tool-less installation thanks to the LinQ System.
- Anti-corrosion coating with durable powder coat finish.
- · LinQ Luggage Rack (715001734) is required for G2S.

Rack Extension - 5" (13 cm)

715001913



· Fits front or rear.

- · Made of carbon steel.
- Provides tie-down points to secure cargo on racks.
- · Easy installation on tubular rack.
- · Anti-corrosion coating with durable powder coat finish.

Rack Extension - 8" (20 cm)

G2L

715001914



- · Made of carbon steel.
- Provides tie-down points to secure cargo on racks.
- Easy installation on tubular rack.
- · Anti-corrosion coating with durable powder coat finish.

LinQ Luggage Rack

G2S (except X mr models)

715001734



Bolt-on rack.

· Enables use of LinQ mounted accessories on the G2S.

LinQ Base Plate

715007273



- Enables use of 16" wide LinQ base accessories on G2L to extend cargo options and journey opportunities.
- · Requires LinQ base kit (715008125).

LinQ Base Plate



- Enables use of 16" wide LinQ base accessories on G2S to extend cargo options and journey opportunities.
- · Requires LinQ Base Kit (715008125).

Gun Boot Rack

G2L (except MAX models) 715001918 G2L (MAX models only)



- · Made of steel.
- · Designed for the tubular rack

- For use with Gun Boot 6.0 Impact by Kolpin.
- · Can be mounted to either side of the vehicle.

Gun Boot 6.0 Impact† By Kolpin†

G2, G2L

715001419



- · Extra room for pistol-grip-type weapons and small bipods.
- Easily fits firearms up to 51" (130 cm) in total length.
- Provides ample room for 2 ¾" (60 mm) scopes.
- · Hatchback design allows easy access
- · Ergonomically designed handle and molded attachment points for sling.
- · Snap-close cover with locking capability. · Designed to accommodate left and right hand
- bolt-action rifles and shotguns. Includes removable, shock absorbing foam and nylon
- Impact liner for superior interior protection • Requires appropriate mounting kit for installation.

LinQ Gun Boot Rack

(Not illustrated)

G2 (except MAX, 6x6 & X mr 1000) G2 (MAX & X mr 1000 models only) 715002112 715002113

- This lightweight Gun Boot Rack can be mounted on either side of your Outlander using the tool-less LinQ System.
- For use with Gun Boot 6.0 Impact by Kolpin.

Multi-Fit Holder

G2, G2L

715002354 · Single 715001945 · Double



- Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but easily accessible.
- · Easy installation on tubular rack, extension racks, basket or bumpers.
- For G2, the LinQ Rack Extension (715001711) is required.
- Sold in pairs

LinQ Gear Grips

G2L

715001421



- · Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm)
- · Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more
- · Quick-release button opens grip quickly for easy access to
- · Heavy-duty base system built for the toughest
- · Easy installation on tubular racks, extension racks, brackets or bumpers.
- · Sold in pairs.

CARGO & STORAGE

Log Bars G2 (6x6 models only) 715001987



- · Log bars allow you to convert the cargo bed into a perfect transport space for 4' (120 cm) timber
- The driver's safety is guaranteed by the protective front screen.

Hard Top

G2 (6x6 models only)

715002394



- The hard top provides a 116 gal (440 L) cargo box.
- · Locking secures your belongings.
- · The cover raises assisted by gas cylinders.

Side Walls & Tailgate

G2 (6x6 models only)

715005153



- ${\boldsymbol{\cdot}}$ Allows for a quick and easy conversion of the cargo bed into a trunk with plenty of room.
- Rotationally molded walls provide extreme durability for hard work in all conditions.

Cargo Protection Wall

(Not illustrated)

G2 (6x6 models only)

708301522

· Fits with or without side walls

Cargo Box Pool

G2L (6x6 models only)

715005256



- Transforms the flatbed into a large capacity cargo box for increased loading possibilities.
- Made of durable formed HDPE and shaped to maximize cargo space.
- Allows access to vehicle's water-resistant rear compartment.
- Designed for perfect fit and easy installation.

Tailgate Extension/Divider

G2 (6x6 models only)

715002017



- The sturdy tailgate extension provides a 10" (25 cm) extension to the cargo space.
- Thanks to the longer cargo bed, even large loads pose no problem.
- · With the help of LinQ quick locks, the extension also acts as a solid space divider for the cargo bed.

Tarpaulin

G2 (6x6 models only)

715002416



- Fitted to cover all of the items in your cargo box thoroughly.
- · Prevents splash from entering cargo box.
- · Easily removable for quick access.

18 Gal (70 L) Utility Box

G2 (6x6 models only)

715001999



- Wherever you go and whatever you do, this handy 18 gal (70 L) utility box is your mobile storage.
- The lid keeps your equipment safe from the elements in all conditions.
- Slides under the flatbed with handles for easy access.

Cargo Box Net

G2 (6x6 models only)

715001371



• Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.

Soft Storage Bag

G2, G2L, G2S

715003759



- 3 -section bag.
- Transport gear in a weatherproof bag.
- 11.8 gal (45 L) capacity soft cargo bag designed with vehicle's rack in mind to maximize potential storage.
- LinQ Luggage Rack (715001734) is required for G2S.

Storage 2.6 Gal (10 L) Bag



- Roll-Top dry bag for fully protecting your cargo from the elements.
- Fits in rear compartment of your vehicle.

CAN-AM WINDSHIELDS

Deluxe Fairing

G2 (except X mr & 6x6), G2L

■ 715001232 · Black
■ 715000935 · Yellow 2000
■ 715002479 · Light Gray

■ 715006125 · Squadron Green ■ 715007073 · Tundra Green



- · Innovative, richly featured wind protection.
- Quick tool-less removal once base brackets are mounted on handlebar.
- Two cup holders.
- Ready for GPS mounting kit.

- · Optional mirrors and auxiliary lighting.
- Requires low, high or extra high windshield.
- Tapered Handlebar Adapter Kit is required for vehicles with 1½" (28 mm) tapered aluminum handlebars.
- · Does not fit T3 models.

Tapered Handlebar Adapter Kit

Deluxe Fairing

715002470

• Required to install Deluxe Fairing on an Outlander X-TP and on any vehicle equipped with 1 1/6" (28 mm) tapered

Extra High Windshield

Deluxe Fairing

715000936



- 16" (41 cm) windshield provides the ultimate protection against the elements while touring.
- · For wind protection and winter applications.
- · Tool-less installation and replacement.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

High Windshield

Deluxe Fairing

715001211



- 11" (28 cm) high, for wind protection and winter applications.
- Tool-less installation and replacement.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Low Windshield

Deluxe Fairing

715001227



- 6" (15 cm) windshield allows you to keep your vehicle looking sporty while giving you some protection from the elements and the possibility of enjoying directional lighting.
- Tool-less installation and replacement.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Accessories

Auxiliary Windshield Lighting

Deluxe Fairing

715003115



- 2 premium LED spots for Deluxe Fairing for both increased output and directional lighting.
- 1 ,800 lumens.
- 2 x 10W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.

Deluxe Mirror Kit

Deluxe Fairing



- Improved mounting system.
- Wide rear view
- · Perfect fit with your Deluxe Fairing.

Windshield Kits

Extra High Windshield Kit

G2, G2L, G2S (except X mr models)



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter and smoother ride.
- Quick tool-less removal once base brackets are mounted on handlebar.
- · Fits straight and tapered handlebars.
- · Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 16" (41 cm) windshield.
- For ultimate wind protection and winter applications.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local

High Windshield Kit

G2, G2L, G2S (except X mr models)



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter
- · Quick tool-less removal once base brackets are mounted
- · Fits straight and tapered handlebars.
- · Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 11" (28 cm) windshield.
- For wind protection and winter applications.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Low Windshield Kit



- Made of polycarbonate with integrated vent to reduce air turbulence and rumble noise at high speeds for a quieter
- · Quick tool-less removal once base brackets are mounted
- Fits straight and tapered handlebars.
- · Improved design for enhanced rigidity.
- Steering Cover (709400939) is required for XT and Mossy Oak models.
- 6" (15 cm) windshield.
- · Allows you to keep your vehicle looking sporty while giving you some protection from the elements

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local

HANDLEBARS & MIRRORS

Handlebar Wind Deflectors

G2 G21 G2S



- · Rugged injected plastic construction with Can-Am logo.
- · Include removable cap for air flow adjustment.
- · Mounting kit sold separately.
- 715000525 · Black / Yellow ■ 715000537 · White / Black
- 715001706 · Black / Black
- 715003811 · Can-Am Red / Black 715003812 · Manta Green/Black
- 715003814 · Octane Blue / Black
- 715006117 · Squadron Green / Black
- 715006118 · Viper Red / Black

715003813 · Orange / Black

Passenger Wind Deflectors

G2 and G2L (MAX models only)

715001669



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.

Full Wrap Aluminum Mounting Kit

G2, G2L, G2S

715001378



- · Lightweight black die cast aluminum construction.
- · Includes complete hardware.
- · Handlebar wind deflectors sold separately.

Aluminum Tapered Handlebar



- 1 1 1/8" (22 mm 28 mm) tapered handlebar made of 6061-T6 aluminum.
- · Includes all hardware, center steering foam and cover.

Xt Handlebar Protector Kit

G2, G2L

703100352



· Not compatible with Mud Strap (715003053).

Mirrors Left - 3/8" (10 mm)

G2, G2L, G2S

708200963



- True vision surface 5" x 3" (13 cm x 8 cm).
- Matte finish.
- Stem includes %" (10 mm) thread.
- Bracket (715000190) is required for installation on DS 450.
- Bracket not required for installation on Outlander and Renegade.

Mirrors Right - 3/8" (10 mm) (Not illustrated)

G2. G2L. G2S

709400523

- True vision surface 5" x 3" (13 cm x 8 cm).
- Matte finish.
- Stem includes %" (10 mm) thread.
- Bracket (715000190) required except for vehicles with right hand brake.

Handlebar Mirrors

G2, G2L, G2S

715005366



- Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- Doesn't require a windshield or fairing to be mounted.

SEATS

Driver Backrest

 G2L (except MAX models)
 715003941

 G2 (except 6x6 & MAX models)
 715003940

 G2 (6x6 models only, except MAX)
 715003611



- Provides the rider's back with that extra support that makes riding that extra mile way more comfortable.
- · Adjusts horizontally to match the driver's height and preference.
- Mounts and locks in firmly onto the vehicle.

Outlander Max Passenger Seat Kit

G2 2015 & up, G2L (MAX models only)

715002373



· Perfect to replace used or damaged passenger seat.

Heavy-Duty Seat Cover

G2, G2L

715007212





- Heavy-duty materials to cover and protect the seat.
- Abrasion- and tear-resistant.
- Simply installs by stretching around the original seat; the elastic holds the cover securely in place.

2024

G2, G2L, G2S ATVs ACCESSORIES

PLASTIC SKID PLATES






Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

[•] Lighter than aluminum.

Offer your Outlander & Renegade the full protection kit or get them individually	OUTLANDER	OUTLANDER MAX	OUTLANDER 6X6	G2, G2S	G2L	G2L MAX
INDIVIDUAL PLASTIC SKID PLATES						
A-ARM PROTECTORS G2	715002924	715002924	715002924	715002924	-	_
② TRAILING ARM PROTECTORS G2	715002925	_	715002925	715002925	-	_
③ PLASTIC SKID PLATE G2	715006019	715006020	715005290 715005320 (MAX)	-	715006115	715006116

HMWPE SKID PLATES



Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of ¼" (6 mm) thick abrasion-resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- · Lighter than aluminum.
- · Superior stress crack resistance.
- High impact strength.

OUTLANDER, RENEGADE

		G2				G2L		G2S		
	2016	& Prior	2017	-2018	2019	& Up			2017- 2018 Models	2019 - 2022
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except Max & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only		
HMWPE Skid	Plate Pro	tection	Kit							
	715004214	715004215	715004209	715004210	715004806	715004807	715004211	715004212	715004213	715004809
Individual HM	WPE Ski	d Plates	S							
A-Arm Protectors	715002924	715002924	715002924	715002924	715004822	715004822	715002924	715002924	715002924	715004822
2 Underbelly Plates Footwell portion not compatible with Renegade X mr	715002926	715002927	715002926	715002927	715002926	715002927	715002928	715002929	715002974	715002974
3 Trailing Arm Protectors	-	-	715003466	715003466	715004823	715004823	715003466 (2015 to 2020 models only)	715003466 (2015 to 2020 models only)	715003466	715004823

ALUMINUM SKID PLATES




For ultimate durability and strength, all our Aluminum Skid Plates are made with $^{3}\!/_{6}"$ (4.5 mm) thick High Strength 5052 H32 Aluminum.

- Ultimate durability.
- · High strength.

OUTLANDER

	VUILANDER							
		G2						2L
	2016	& prior	2017	-2018	2019	& up	Any	year
	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX & X mr 1000R models	MAX & X mr 1000R models only	Except MAX models	MAX models only
Aluminum Skid Plate Protection	on Kit							
	715002137	715002138	715004197	715004198	715004804	715004805	715004199	715004200
Individual Aluminum Skid Plat	tes							
A-Arm Protectors	715001667	715001667	715001667	715001667	715004820	715004820	715001667	715001667
② Front Skid Plate	715000926	715000926	715000926	715000926	715000926	715000926	715001906	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078	715002078	715002078	715002078	715002078
Footwell Protector Plates	715000922	715000922	715000922	715000922	715000922	715000922	715000922	715000922
5 Trailing Arm Protectors	_	_	715008595	715008595	715004821	715004821	715008595	715008595
6 Rear Differential Protectors	715000920	715000920	715000920	715000920	715000920	715000920	715000920	715000920
7 Rear Skid Plate	715002028	715002029	715002028	715002029	715002028	715002029	715002028	715002029

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with $\frac{3}{16}$ " (4.5 mm) thick High Strength 5052 H32 Aluminum.


- Ultimate durability.
- · High strength.

2024

RENEGADE

		G2S		
	2016 & prior	2017-2018	2019 - 2022	2023 & up
Aluminum Skid Plate Protection Kit				
Not compatible on X mr models	715002139	715004201	715004808	715009730
Individual Aluminum Skid Plates				
① A-Arm Protectors	715001667	715001667	715004820	715004820
② Front Skid Plate	715000925	715000925	715000925	715001906
③ Central Skid Plate	715002078	715002078	715002078	715002078
Trailing Arm Protectors	715001129	715008595	715004821	715004821
(5) Rear Differential Protectors	715000920	715000920	715000920	715000920
Rear Skid Plate	715002028	715002028	715002028	715002028

HMWPE & ALUMINUM SKID PLATES



Our Plastic and Aluminum Plates glide smoothly and silently over obstacles, offering great protection in rough terrain.

HMWPE

Made of 1/4" (6 mm) thick abrasion resistant thermoformed High Molecular Weight Polyethylene (HMWPE).

- Lighter than aluminum.
- Superior stress crack resistance.
- · High impact strength.

ALUMINUM

Made with High Strength 3/16" (4.5 mm) thick 5052 H32 Aluminum.

- Ultimate durability.
- · High strength.

OUTLANDER 6X6

		G2 6x6		G2L 6x6
	2016 & prior	2017 - 2018	2019 & up	Any year
Individual HMWPE Skid Plates	3			
HMWPE A-Arm Protectors	715002924	715002924	715004822	715002924
② HDPE Full Underbelly Skid Plate	715005290 (except Max)	715005290	715005290 (except Max)	715004987 (except MAX)
	715005320 (Max Only)	715005320	715005320 (Max Only)	715005259 (Max Only)
③ HMWPE Trailing Arm Protectors	-	715003466	715004823	715003466 (2020 models & prior only)
Individual Aluminum Skid Plat	es			
Aluminum A-Arm Protectors	715001667	715001667	715004820	715001667
Aluminum Full Underbelly Skid Plate				
3 Aluminum Trailing Arm Protectors		715008595	715004821	715008595

BUMPERS & GUARDS

Bumpers

Expedition Front Bumper

G2, G2L (except X mr models & X xc models 2022 & up)

715007233



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's front.
- Protects and doesn't obstruct the vehicle's headlights.
- · Integrated mounting spots for lights.
- Inside and outside anticorrosion coating with a durable powder coat finish.

Expedition Rear Bumper

G2, G2L

715007234



- Made of 1.5" profiled steel tubes for complete protection of the vehicle's rear.
- · Protects and doesn't obstruct the vehicle's taillights.
- Inside and outside anticorrosion coating with a durable powder coat finish.
- G2 base and DPS rear bumper installation requires 705008164 and 705008165.

NEW X mr Front Bumper

G2S 2023 & up

715008198



• Enhanced vehicle front protection. Required as a mounting point for Radiator Relocator (715008898).

XT Front Bumper

G2

715004837



- · Provide additional protection against obstacles
- Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- · Standard on XT, XT-P, Mossy Oak and Limited models.
- Large tube construction with textured black finish and metal corners.

XT Rear Bumper

G2

715004920



- Provide additional protection against obstacles.
- \cdot Tough and durable, can be added on base Outlander model to convert vehicle into XT model.
- Standard on XT, XT-P, Mossy Oak and Limited models.
- \bullet Large tube construction with textured black finish and metal corners.

XT Front Bumper

G2l

715001910



- Winch compatible.
- · Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

XT Rear Bumper

G2L

715001911



- Large tube construction.
- Protects vehicle against obstacles.
- Standard on XT models.

Extreme Front Bumper

G2 715001286* 715004279



- · Ultra-sturdy build.
- · Enhances front-vehicle protection.
- · Compatible with XT Front Bumper.
- Fits the Apache $^{\text{TM}}$ 360 Track System (when side panels are removed).
- Not compliant with T-category models.
- Not compatible with Front Hitch.

Rancher Front Bumper

G2, G2L (except X mr models)

715003461



- The low front end protection and plates allow you to use your ATV within cattle herds and guard the safety of both the vehicle and the animals.
- The flat front portion facilitates gently prodding cattle or pushing light objects, e.g. closing a fence.
- · The full frontage coverage extends to provide an extra layer of defense to your headlights and radiator.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with track systems, plows and front hitch.
- · Not compliant with T-category models

Rancher Rear Bumper

G2, G2L (except 6x6 models)

715003462



- Ideal for using your ATV within cattle herds and guarding the safety of both the vehicle and the animals.
- Coverage extends to provide an extra layer of defense to your tail lights.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- · Not compatible with track systems.
- · Not compliant with T-category models.

Renegade Extreme Front Bumper

G2S 2022 and prior (except X mr models)

715002469



- · Enhanced vehicle front protection.
- Required as a mounting point for Radiator Relocator (715008898).

Guards

G2 2012 to 2018 with stock XT Bumper, G2 2012 & up with Rancher Bumper, G2L with Rancher Bumper, (except X mr and 6X6 models)	715003459
G2 2019 & up with XT Bumpers, (except X mr and 6X6 models)	715004940*
G2L with XT Bumpers, (except X mr and 6X6 models)	715003614



Body Side Protector

- The heavy-duty fender guard designed to pull double duty, protecting your ATV and also enhancing the look of your ATV.
- Made tough and designed to deliver a rugged appearance, this fender guard offers full side protection for farmer, rancher and forestry applications.
- Built of durably bold 1.25" (3 cm) diameter steel-tube construction, with inside and outside anti-corrosion coating with durable powder coat finish.
- Not compatible with Self Clearing Footwell.
- XT Front and Rear Bumpers or Rancher Front and Rear Bumpers are required for installation.
- Requires Body Side Protector Extensions (715003460) for installation on MAX models

*Not compatible with Front and Rear Rancher Bumpers

Body Side Protector Extensions (Not illustrated)

G2, G2L (MAX models only)

715003460

• This specially designed extension for the Body Side Protector is made specifically to fit and seamlessly integrate into the look of Outlander MAX models.

G2, G2L, G2S ATVs ACCESSORIES

42

Mud Flaps

G2 (with stock fender flares)

715007089



- Keeps mud, snow and debris out of cargo area and protects trailer and vehicles behind you.
- · Adds aesthetic appearance to your vehicle.
- · Requires stock fender flare.
- · Sold in pairs.

G2 2012-2018 (except with 30" tires) (except 6x6 models)	715001764*
G2 2019 & up (with 30" tires) (except 6x6 models)	715004250**
G2L	715001909***
G2L European vehicles only 2015 & up	715004487

Fender Flares



- · Kit designed to deliver extra protection from dirt and debris, therefore a must if you enjoy riding in the mud.
- · Made of injected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flair for that rugged cool look.
- Includes front and rear extensions and all mounting hardware.

G2L

- *Comes stock on G2 models 2019 & up (except X mr models).
- **Standard on G2 X mr 1000R.
- ***Not compatible with European vehicles.

Fender Flare Extensions




- Block terrain debris from kicking up onto you as you ride or damaging your vehicle thanks to these extra-large Fender Flare Extensions, which also include mud flaps for added protection from mud/snow, especially when riding with track kits.
- Made of High Molecular Weight Polyethylene (HMWPE) for advanced abrasion resistance.

G2 (except 6x6 models)

- · Include front and rear extensions.
- *Must be used with Fender Flare for G2 (715001764).
- **Must be used with Fender Flare for G2L (715001909).

Fender Flares



705012695

715005111*

715003615**



- Integrated extended Fender Flares for sporty look and full body protection from dirt and water.
- Include front and rear extensions and all mounting hardware.

Flatbed Protection Tubes



715002030



- Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

Flatbed Protection Tubes

G2L (6x6 models only)

715005266



- Bolt-on bumpers for the sides of the 6x6 flatbed.
- Protect the exterior plastic components of the flatbed from rocks, trees and other obstacles when traversing enclosed areas or loading cargo onto the bed.

2024

LIGHTS & ELECTRICAL

Integrated Heated Grips & Thumb Throttle Combo

G2, G2L, G2S (2024 & up)

715005072



- · Heat levels for grips and thumb displayed on vehicle screen
- · Ergonomic button integrated on LH grip.
- Single button for both grips and thumb heat selection.
- Five temperature settings for the thumb and grips.
- Adjustable heat ratio between grip and thumb warmer.
- · Hold button to reach maximum heat quickly.
- · Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- · ECE compliant.
- · Plug-and-play installation.
- · Clamp-on grips, no glue required.

Heated Grips & Thumb Throttle Combo

G2, G2L, G2S (except 2020 & up models equipped with 850 engine and 2019 & up models with 1000R engine, T Category models)

715003250 Not compatible with Intelligent Throttle Control

G2, G2L, G2S (2020 & up models equipped with 850 engine and 2019 & up models with 1000R engine, T Category models)

715008739* Compatible with Intelligent Throttle Control (iTC)



• LED dimmer facilitates reading temperature settings.

- 4 temperature settings with individual controls for thumb and grips.
- · Returns to previous heat setting.

*Relocation bracket (715007619) required for installation on T-category models & G2L XU (INTL model)

- One-touch shutdown
- · Wiring Cable is required for installation on G2L models

Wiring Cable (Not illustrated)

G2L

710004567

• Required for installation of Heated Hand Grips & Throttle Combo.

Heated Visor Outlet

G2, G2L

715001246



- · Strategically positioned on vehicle to maintain your agility.
- · Optional visor outlet that delivers fog-free riding.
- · Quick and easy installation.
- Sold individually.
- · Heated Visor not included.



G2, G2L (MAX models only)

715008794



- · Replace your stock passenger handles
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- · Heated visor outlet integrated into seat arm.

USB Power Outlet Kit

219400510



- Recharges your electronic devices while riding* (smartphone, MP3, heating gear, etc.).
- · Dual port USB connectors.
- The power outlet is not capable of recharging all device types while riding.

Seat Heater

715007211



- 25 W seat heater delivers chill-free riding comfort.
- · One temperature only.
- Heated pad and electrical harness only.
- · Heavy Duty Seat Cover (715007212) is required for the installation.

Engine heater

Outlander 500 / 570 / 650 / 800 (G1/G2)

605154278

Outlander 1000 (G2)

Electronic Device Holder

G2, G2L (except 6x6 & X mr models)

715004919



- Robust injected-polypropylene construction allows for the right fit and easy installation.
- Adjustable unit safely holds smartphones or small tablets with a length or width mesuring between 2.9" (7.5 cm) and 5.1" (13.0 cm) with or without protective case.
- Integrated storage (0.6 gal / 2.1 L).
- Guiding wire grooves to pass charging cable through the lid.
- Possibility of relocating 12V power outlet or installing USB outlet in storage compartment (USB power outlet sold separately).
- · Not compatible with windshields or Snorkel Kit.

3.5" (9 cm) LED Lights (2 X 14W) LED Driving Lights

G2, G2L (except X mr models)

715003666



- 14W LED lights producing 1,260 lumens each
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- CE certified.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

3.5" (9 cm) LED Lights (2 X 14W) LED Flood Lights

G2, G2L (except X mr models)

715003665



- 14W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- · CE certified.
- Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, dusty or foggy riding conditions.
- Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

4" (10 cm) Round LED Lights (2 x 25 W)

G2, G2L (except X mr models)

715002935



- 25 W LED spotlights.
- 1,800 lumens.
- · Rugged and waterproof.
- · Includes basic wiring and switch.
- · Can-Am branded grill.

- Sold in pairs.
- Not EC compliant.
- Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

10" (25 cm) Double Stacked LED Light Bar (60 Watts)

ar (60 Watts) G2, G2L (except X mr models)

715002933



- Equipped with 12 5W Cree LEDs
- 5,400 lumens.
- Rugged and waterproof.
- Packs a big punch for its size.

- · Not EC compliant.
- Expedition Front Bumper (715007233) and Light Power Cable (715007275) required for installation.

Light Power Cable

(Not illustrated)

G2, G2L

715007275

- Required for installation of the 10" (25 cm) LED Light Bar, the 3.5" (9 cm) and 4" (10 cm) LED Lights.

Bluetooth Handlebar Soundbar by Mtx

G2, G2L, G2S

219400840



- Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- Not compatible with XT Handlebar Protector Kit.
- EC compliant.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

Multi Position Light Mount Kit

G2, G2L, G2S





- Multi-position plastic clamps that fit on various tubing sizes: 0.75" to 1.5" (19 mm to 38 mm).
- Required for the installation of the 2" (5 cm) Square LED Lights (2 x 10W).
- Kit includes tube clamp mounts and power cables.

Baja Designs High Beam Kit

G2 (2022 and prior)

715004284



- Thanks to their direct bolt-on and plug-and-play installation right into the original high beam location, upgrading from your stock high beam lights to these powerful Baja Designs Squadron Pro LED Lights becomes child's play.
- Each spot is equipped with 4 Cree LEDs producing 4,900 lumens at 40 watts.
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance.
- · Not EC compliant.

2" (5 cm) Square LED Lights (2 X 10 Watts)

G2, G2L, G2S

715004293



- 2 x 900 lumens 10W LED Cree light kit.
- Long-range illumination up to 350' (107 m), drawing less than 1 amp per light.
- Multi-Position Light Mount Kit is required for installation.
- · Not EC compliant.

RAM† LED Spotlight

G2, G2L, G2S

710005423



- 540 lumens LED light (9W) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.
- · Not EC compliant.

Battery Charger/Maintainer

715005061



- · Keeps stored lead-acid batteries charged.
- · Charges and maintains small batteries.
- Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- · Automatically detects 6- or 12-volt batteries.
- Reverse hook-up protection helps protect battery and charger from damage.
- · Auto-voltage detection.
- Press the display button to show the charge progress.
- Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual.
- · Not EC compliant.
- US plug (110V).
- Not available in Europe.

Jump Starter

715005062



- IPX3 water-resistant and enclosed output ports.
- 4 LED battery indicators for easy read on battery charge level.
- Compact design, will conveniently fit in your backpack, glove box or any other storage compartment.
- 2.4A + 1A/5V USB ports for fast charging of all USB devices.
- Smart cable provides protection against reverse polarity, short circuit, low voltage, high temperature and reverse charging.
- Built-in LED light (3 modes).
- Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag, user manual.
- Not EC compliant.
- Not available in Europe.

Quick Connect Battery Cable

715005408



- ${\boldsymbol{\cdot}}$ Quickly and easily connect and charge different items with your charger.
- Included in the Battery Charger/Maintainer (715005061).
- Sold individually.
- Not available in Europe.

C-TEK charger



- · ·CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products.
- $\boldsymbol{\cdot}$ ·Charger is built to meet the demanding arctic conditions.
- Ask your dealer for more information.

Quick Connect Cable with Battery Indicator

715006055



- Quickly and easily connect and charge different batteries with your charger.
- 3-color LED indicator provides constant battery health indication.
- Sold individually.
- Not available in Europe.

GPS RAM[†] Mount for Handlebar

G2, G2L, G2S

715001985 While supplies last



• Convenient bracket for installing the Garmin Montana GPS (not included) onto your unit's handlebar.

Digitally Encoded Security System (D.E.S.S.) Green Key

G2, G2S (2018 & up)

710005232



- Anti-theft technology, Digitally Encoded Security System (D.E.S.S) key snaps easily on the vehicle and provides riders easy and quick starts every time.
- The key communicates with the vehicle wirelessly so the vehicle starts only when the key code matches the vehicle, for ultimate peace of mind.
- The Programmable D.E.S.S. Key can also be programmed to 3 modes:
- Work mode: Limits vehicle speed to 40 kph (25 mph) but does not limit engine torque.
- Normal mode: Limits vehicle speed to 70 kph (44 mph) and 50% torque reduction.
- Performance mode: No restrictions.

WINCHES

Can-Am HD Winches

Can-Am HD 2500 Winch

G2, G2L (Except T-category models 2022 & up)

G2, G2L (T-category models 2022 & up)

G2, G2L, G2S (Except T-category models 2022 & up)

G2, G2L, G2S (T-category models 2022 & up)

715006414 715008140



- · Heavy-duty four-way roller fairlead.
- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- · Automatic 100% load-holding brake.
- Sealed solenoid for all-weather protection.
- Wired Remote Control sold separately
- · Plug-and-play wiring and attachment brackets.
- Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of $\frac{3}{16}$ " (15.2 m of 4.8 mm) wire steel cable.
- · EC-compliant.


Can-Am HD 3500 Winch

G2, G2L (Except T-category models 2022 & up)
G2, G2L (T-category models 2022 & up)

715006415 715008137

715006109

715008139



- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings provide more torque and longer life.
- · Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.
- · Wired Remote Control sold separately.
- Plug-and-play wiring and attachment brackets.
- · Weather-sealed handlebar-mounted switch.
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) wire steel cable.
- EC-compliant.

WARN† VRX Winches

WARN VRX 35-S Winch

Extreme IP68-rated waterproof sealing keeps

- the elements out.
- Durable all-metal construction.
 Black powder-coated finish and stainless-steel fasteners for corrosion resistance.
- Robust new clutch design based on 70+ years of WARN 4WD hub lock know-how.
- · Handlebar-mounted rocker control.
- Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.
- Limited lifetime warranty (mechanical), 3-year warranty (electrical).
 - Pulling strength capability of 3,500 lb (1,361 kg).
 - 50 ft. of 3/16" (15 m of 4.8 mm) synthetic rope.
 - · Cast aluminum fairlead
 - Wire harness (715002453) required for installation.
 - Winch mounting plate is required for G2S (STD & X xc 2022 & prior only).
 - EC-compliant.

- 1	ĺ				
	G2	(except	6x6	mode	ls

G2 (6x6 models only)

G2L (6x6 models only)

715007100

715006503

715007099

Rear winch kit



- The remote-controlled rear winch is a godsend when youwant to pull yourself out of a tough spot or move heavy loads.
- Includes a fully-sealed Warn winch and all wiring and hardware needed for an easy and quick installation.
- Pulling strength capability of 3,000 lb (1,361 kg).
- 50 ft. of 32" (15.2 m of 5.5 mm) wire steel cable.

Winches Accessories

Wireless Remote Control

WARN Winches

715002542



- The system is quick and easy to install, thanks to a wiring harness with an integrated antenna and all necessary mounting hardware.
- The system allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.
- · All components are weatherproof.

Wired Remote Control

 WARN Winches
 715006378

 Can-Am HD Winches (715006414 & 715006415)
 715006555

 Can-Am HD Winches (715008140 & 715008141)
 715008121



- This kit allows winch owners to add the hand-held remote to their winch.
- This kit allows winch owners to add the handheld remote to vehicles with a stock winch.
- Works in conjunction with the mini-rocker switch.
- Wired Remote & Remote Socket included.
- · EC-compliant.

Winch Accessories Kit

715002409



- · Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- · Includes tree straps, snatch block, shackle and winching gloves.

WARN Hawse Fairlead

WARN Winches

715007698



- · Double powder-coated construction.
- Required to use the Synthetic Winch.
- · Cable (715004254) on WARN winches.
- To be used with synthetic winch cables only.

Roller Fairlead

WARN Winches
Can-Am HD Winch

715007699 710007459



 Features top, bottom and side rollers for less cable wear and smoother operation from any direction for easier winching.

Hook with Safety Latch & Strap Kit

Can-Am HD Winches

705014949



- Heavy-duty winch-rope hook with stainless steel snap.
- · Includes a nylon safety strap.

Replacement Wire Rope - Can-Am HD

705014983 705014984

49



- Play it safe, always carry a replacement wire rope.
- 2,500 lb (1,134 kg) pulling strength with 50 ft of $\% e^{\prime\prime}$ (15.2 m of 4.8 mm) wire rope for 705014983.
- 3,500 lb (1,588 kg) pulling strength with 50 ft of $\frac{32}{15.2}$ m of 5.5 mm) wire rope for 705014984.

Replacement Wire Rope - ATV WARN Winches

715006256



- Play it safe, always carry a replacement wire rope.
- 3,500 lb (1,588 kg) pulling strength.
- 50 ft. of 7/32" (15.2 m of 5.5 mm) aircraft grade steel wire.

Synthetic Winch Cable

ATV WARN Winches

715004254



- · Easier to manipulate than steel cable.
- Replaces the original cable on any factory installed WARN winch or sold as an accessory by BRP.
- Kit includes synthetic rope and rock guard sleeve.
- Always use with the new Hawse Fairlead (715007698).
- 50 ft. (15.2 m) of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- 3,500 lb (1,588 kg) pulling strength.

Winch Mounting Plate

G2S (2022 & prior)

715000927



Adds functionality to your Renegade.

· Fits Can-Am winches by WARN.

Winch Wire Harness (Not illustrated)

G2 2021 & up, G2S 2021 & up and G2L

715002453

- · Required plug-and-go wiring to install WARN winch only.
- Not required for Can-Am HD winches.

HITCHES

Hitches

Rear Hitch

G2, G2L (except 6x6 models), G2S

715001925



- E-coat finish.
- Fixed hitch ball mounting bracket.
- $\bullet \ \, \text{Provides fixed mounting point for trailer ball to provide vehicle with towing capabilities}.$
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- · Hitch ball not included.

Front and Rear Hitch Drawbar

G2, G2L, G2S

715008350



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.

• Required for T3 models.

Forged steel.

Front coupling device

Т3

705205025

Multitrailer



- Bogie wheels updated to be more silent than before and now equipped with grease nipples.
- Product developed for heavy-duty use.
- 100% galvanized steel.
- Specifications: 12 mm polywood base, strong stand, movable attachment points (4 pc),
- tipping bed, removable sides and 4 pc timber holder.
- Underside of the bogie and frame designed to travel over stones and logs (no sharp edges).
- Bed length: 182 cm
- Bed width: 66 cm bottom / 95 cm top
- Bed height: 60 cm
- Weight: 200 kg with timber holders and sides

Hitches Accessories

Rear Receiver Hitch

G2S 2012 with 800R or 1000 engines G2S 2013 & up, G2L & G2

715005186



- · E-coat finish.
- Does not affect ground clearance.
- · Trailer ball not included.
- On 4X4 use, this hitch offers 1,500 lb (680 kg) of towing capacity.
- On 6x6 use, this hitch offers 1,654 lb (750 kg) of towing capacity.
- · Compliant with European T regulations.
- · Not compatible with G2L models with Rear Skid Plates.

Front Receiver Hitch

G2

715000921



- Front receiver hitch for Outlander with or without a winch.
- This hitch offers 1,300 lb (590 kg) of towing capacity.
- Allows you to maneuver your trailer easily in tight, confined areas.
- · Hitch bar sold separately.
- Not compatible with Extreme Front Bumper, Rancher Bumper and ProMount Plows.

Rubber Receiver Plug

705204503



• Rubber cap for 2" (5 cm) hitch receiver.

PERFORMANCE

Performance

Renegade Snorkel Kit

G2S (2020 & prior)

715006000 715007083

G2S (2021 & up)



- Comprehensive kit.
- Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Ideal for muddy conditions.
- Not compliant with T-category

Renegade Radiator Relocator Kit

G2S 2023 & up G2S 2022 & prior 715008898 715001929

Relocates radiator to top mount position.



- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- · Radiator not included.
- Renegade Extreme Front Bumper (715002469) required for G2S 2022 and prior or X mr Front Bumper (715008198) required for 2023 and up for installation (except X mr).
- Not compliant with T-category

Mud Strap

G2, G2L, G2S



- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions.
- Not compatible with XT Handlebar Protector Kit (703100352).

Radiator Protector

G2, G2S (except G2S with 500 engine)

715001744



• Metal shield that mounts over radiator face, providing protection from stones and branches.

Outlander Snorkel Kit

G2 2015 & up, G2L (except X mr & 6x6 models)

715005999



· Comprehensive kit.

- · Extended air intakes and CVT exhaust.
- CVT outlet integrates into pod cover.
- Must be installed on a vehicle without XT Handlebar Protector Kit.
- · Ideal for muddy conditions.
- · Not compatible with windshields.
- · Not compliant with T-category

Outlander Snorkel Kit

G2 (X mr models only), G2L (X mr models only)

715002518



· Comprehensive kit.

- Extended air intakes and CVT exhaust.
- · CVT outlet integrates into pod cover.
- · Must be installed on a vehicle without XT Handlebar Protector Kit.
- · Ideal for muddy conditions.
- · Not compatible with windshields.

- Raised horn only.
- · Provides higher intake.
- For best fit and finish, appropriate gauge support
- is required.
- · Not compliant with T-category

Outlander Radiator Relocator Kit

G2. G2L (except 6x6 models)

715001930



• Relocates radiator to top mount position.

- Prevents cooling performance loss in muddy conditions.
- Uses existing radiator.
- · Includes support, hardware and hoses.
- Engineered for easy cooling system bleeding and maintenance.
- · Radiator not included.
- · Not compliant with T-category.

X mr Traction Plates

G2 (MAX models only), G2L

715001752



• Provide extra foot grip for driver when riding in extreme mud conditions.

- Help driver maintain ideal riding position to maximize vehicle traction.
- · Made of aluminum.
- · Not meant for a passenger.

Self-Clearing Footwells

G2 2015 & up, G2L

715004759



- Made from aluminum.
- · Replace original footwells.
- Feature large evacuation ports to avoid mud and snow accumulation in footwells.
- Aggressive design for improved traction.
- · Not compatible with Body Side Protectors.
- Sold in pairs.

Footpeg Kit

52


G2. G2L



- · Provides maximum integrated grip and more stability during vigorous riding.
- Kick-up end generates added grip during hard cornering.
- · Made of aluminum.
- · Sold in pairs.



- Maximizes performance by increasing air flow throughout RPM range.
- Maintenance-friendly, i.e., just wash, re-oil and re-use after riding in severely dusty/muddy environments.



Heavy-Duty Springs



- · Heavy-duty springs provide enhanced stiffness.
- Perfect for snow clearing and hauling heavy loads.
- Improves handling and helps prevent accidental overturns.
- Kit includes 4 springs.
- · Standard on Outlander PRO and Mossy Oak models.

Front Shock Covers	G2, G2L, G2S	715500301



- F eature ventilation holes.
- · Offer added protection in rough terrain and weather conditions.
- · Sold in pairs.

Front and Rear Heavy-Duty Shock kits	G2L (4x4 and 6x6 models)	715007841 • Front 715008136 • Rear
Stiffer shocks than th	e standard ones, for Heavy-duty usage.	
 Improved load capac 	ity, ground clearance and comfort (front and rear).	
 Sold in pairs. 		

Extreme Heavy-Duty rear spring set G2 715001998

• E.g. for use with Forest Pro Log Trailer.

Yoshimura

Yoshimura Slip-On Exhaust - Outlander

G2 (except 6x6 models)

715005480



- Made from 304-grade stainless steel.
- Better sounding, better looking and lighter than stock muffler.
- USDF/USDA approved spark arrester.
- Non-EPA compliant (for racing application only).
- Not EC compliant.
- Fuel injection system tuning not required.
- Not compatible with CARB & T Category models 2018 & up, NRMM & 650 Engine 2022 & up.
- Not available in Europe.

Yoshimura Slip-On Exhaust - Renegade

G2S 2012 & up (except 570 engine and X mr models)

715005481



- Made from 304-grade stainless steel.
- Better sounding, better looking and lighter than stock muffler.
- USDF/USDA approved spark arrester.
- Non-EPA compliant (for racing application only).
- Not EC compliant.
- Fuel injection system tuning not required.
- Not compatible with CARB & T Category models 2018 & up, NRMM & 650 Engine 2022 & up.
- Not available in Europe

Emergency Accessories

Emergency Kit 715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations
 powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

COVERS, DECALS & ADD-ONS

G2 (except MAX models)	715001737
G2 (MAX and X mr 1000R models only)	715001736
G2L (except MAX models)	715002026
G2L (MAX models only)	715002025
G2C (ayount V mr modula)	715000692

Trailering Covers



- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- · Protect windshield and colored panels from abrasion.
- All high-abrasion areas are reinforced with a double canvas layer.
- Opening for fuel cap access.
- Weather-resistant trailering cover protects your vehicle during transportation.
- · Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

G2, G2L, G2 X mr (except 1000), G2L X mr, G2S, G2S X mr	715001720
G2, G2L (MAX and X mr 1000R models only)	715001668
G2 (6x6 models only)	715002492 715005095 (Europe)
G2, G2L (except MAX models)	715001597 · Mossy Oak Break-Up Country Camo
G2 MAX (6x6 models only	715004488
G2L (6x6 models only)	715005261
G2L MAX (6x6 models only)	715006024

Storage Covers



- Weather-resistant storage covers
- · For vehicle storage only.
- UV-resistant solution-dyed polyester construction.
- · Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Flag 715000277 · Yellow



- Make sure everyone knows what you're riding.
- Perfect for the dunes and new riders.
- 8-ft. (2.4 m) length.
- Includes flag mount (715000127).

Flag Mount (Not illustrated) 715000127

Bolt-On[†] Retractable Ratcheting Tie-Downs

295101072



- Perfect for transporting your powersport vehicle or securing loads.
- Mounts easily: Bolts on any flat surface (e.g., truck bed or frame).
- 1" \times 6' (2.5 cm \times 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- $\bullet \ \text{Rubber ratcheting handle provides firm grip, and the hook is vinyl coated to protect whatever surface it hooks into a context of the coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to protect whatever surface it hooks into a coated to be a$
- · Sold in pairs.

Ratchet Tie-Downs





- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- · Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

Shifter Lock

715007337



- Secure the vehicle's shifter by locking it in position.
- Prevents the vehicle from going into neutral without the lock key.

Lockable Gas Tank Cap

G2, G2L, G2S

860200387 **619590085** (Scandinavia)



· Protects your fuel.

• Meets EPA requirements.

License Plate Bracket

G2L

715002498

55



715001401



- Provides specific area to install license plate.
- · Mounts to rear of vehicle.

APACHE TRACK SYSTEMS

Apache Track Systems

Apache Backcountry Track System

G2 (except 6x6 models), G2S, G2L

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- · Apache Backcountry Mounting Kit and engine and air intake pre-filters are required.
- For winter use only

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Idler Wheel Kit

Apache Backcountry Track System (rear tracks only)

860201230 · 141 mm



- Reduces drag and rolling resistance.
- · Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- · Can extend slider life in hardened snow conditions.

Sliders with Vespel[†] Inserts

Apache Backcountry Track System

503194815



- · Use DuPont Vespel inserts for less friction.
- · Longer life.
- · Can be cut to desired length.
- 8 needed per vehicle.
- · Sold individually.

Rail Ice Scratchers

Apache Backcountry Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

Apache 360 & 360 LT

Apache 360 Track System

G2 (except 6x6 models), G2L, G2S

715006323



- Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Apache 360 & 360 LT Mounting Kit and engine and air intake pre-filters are required.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 LT Track System

G2, G2L, G2S

715005103



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- Reliable heavy-duty build.
- · EC compliant.
- · Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and air intake pre-filters are required.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 LT 6x6

Apache 360 LT (6x6) Track System

G2, G2L (6x6 only)

715005104



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- · Average ground clearance increase of 4.5" (11.4 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- · Apache 360 LT Mounting Kit, Track DPS Module and Engine & Pre-Filter Kit are required.
- · Reliable heavy-duty build.
- EC compliant.
- Exclusively for the Outlander 6x6.
- · Recommended for use on snow only

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information

Apache Accessories

Apache Backcountry Mounting Kit

G2 2018 & prior, G2S 2018 & prior, G2L G2 2019. G2S 2019 715004830 715004796

(Not illustrated)

Required for installation of the Apache Backcountry Track System.

· DPS module and pre-filter are required and sold separately.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Track DPS Module

(Not illustrated)

G2, G2L, G2S

715007338

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 & 360 LT Mounting Kit

G2 2018 & prior (except 6x6 models) G2S 2018 & prior, G2L
G2 2019 & up (except 6x6 models), G2S 2019 & up
G2 2018 & prior, G2L (6x6 models)
G2 2018 & prior, G2L (6x6 models)
G2 (6x6 models 2019 & up)
715005105

- Required to install Apache 360 & 360 LT Track Systems.
- DPS module and pre-filter not included.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Track System Accessories

Air Intake Pre-Filter

715003483



- · Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.007" (0.19 mm).
- Easy, tool-less installation.
- Necessary to maintain vehicle warranty when tracks are installed.
- Required to install the Apache and Backcountry Track Systems.
- Standard on Outlander 650, 650 X mr, 850, 1000, 1000R engines and G2L PRO
- Not compatible with Snorkel Kits.

Engine Air Intake Pre-Filter

G2, G2L, G2S

715004729



- Adds extra protection to your engine in harsh riding conditions.
- Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty when tracks are installed.

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L		745004000		715004729	
2018 & Prior G2, G2S	715005247	715004830	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2, G2S		715004796		models and G2L PRO model)	

Apache 360 and Apache 360 LT					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2015 & Up G2L	715006323	715007207		715004729	
2018 & Prior G2, G2S	(Apache 360) OR 715005103	715007207	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2, G2S	(Apache 360 LT)	715007206		models and G2L PRO model)	

Apache 360 LT 6x6					
Model Year / Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2018 & Prior G2 6x6		745004004		715004729	
2019 & Up G2L 6x6	715005104	715004991	715007338	& 715003483 (standard on G2	715004729
2019 & Up G2 6x6		715005105		models and G2L PRO model)	

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Reference	Chart							
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	60" Flex2	66" Flex2
Plow Kit	715007753	715008178	715007754	715008179	715007755	715008180	715008181	715008182
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004203	715006265
Push Frame	715007752	715007752	715007752	715007752	715007752	715007752	715007752	715007752
Mounting Plate	715007751	715007751	715007751	715007751	715007751	715007751	715007751	715007751

Steel Plows

Can-Am ProMount Steel Plow Kits 54" (137 cm) Blade

G2, G2L, G2S

■ 715007753 · Black 715008178 · Yellow



- · These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am ProMount Steel Plow Kits 60" (152 cm) Blade

G2, G2L, G2S

■ 715007754 · Black 715008179 · Yellow



- · These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am ProMount Steel Plow Kits 66" (168 cm) Blade

G2, G2L, G2S

■ 715007755 · Black ■ 715008180 · Yellow



- · These kits include:
- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Plate

Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ 715004472 · Black ■ 715005316 · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- $\bullet \ \, \text{Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.}$
- Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ 715004202 · Black ■ 715005317 · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ 715006337 · Black 715006338 · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ 715004474 · Black ■ 715006021 · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount Flex2 - 60" (152 cm) Plow Kit

G2, G2L, G2S

715008181



- · These kits include:
- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Plate

NEW Can-Am ProMount Flex2 – 66" (168 cm) Plow Kit

G2, G2L, G2S

■ 715008182 · Black



- This kit includes:
- Can-Am ProMount Flex2 blade
- Push Frame with Quick-Attach System
- Mounting plate

Angle Plows

Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G2, G2L, G2S

715007261



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- · Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G2 G21 G2S

715007263



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G2. G2L. G2S

715007264



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- · Can-Am branded.

ProMount One-Way State Blade Rubber Flap

(Not illustrated)

715007299

· Allows for more efficient snow projections in various snow conditions.

Can-Am ProMount Flex2 Plows

Can-Am ProMount Flex2 Blades - 60" (152 cm) Blade

Fits ProMount Push Frame

715004203



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 54" (137 cm) when plow is fully angled.

NEW Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

715006265



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- · Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
 Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility."

Can-Am ProMount Flex2 Blades - 72" (183 cm) Blade

Fits ProMount Push Frame



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 66" (168 cm) when plow is fully angled.

Can-Am ProMount Plow Accessories

Can-Am ProMount Push Frame with Quick-Attach System

G2, G2L, G2S

715007752



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Plate required for installation.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point.

Can-Am ProMount Mounting Plate

G2, G2L, G2S

715007751



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Fits on ATVs with or without Can-Am Skid Plates.
- Plow Roller Fairlead included.

Can-Am ProMount Push Frame Extension

G2, G2L, G2S

715006257



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

Can-Am ProMount Edge Markers

G2, G2L, G2S

715004206



- · Help locate the edges of your plow.
- Height: 24" (60 cm).
- · Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters

G2, G2L, G2S

715006258



- Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Curved Wear Blade

G2, G2L G2S

715007791 · 60" (152 cm)

715007792 · 66" (168 cm)



- · Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.

 ${\boldsymbol{\cdot}}$ Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

715004480 · 54" (137 cm) 715004481 · 60" (152 cm) 715004482 · 66" (168 cm)

Can-Am ProMount Plastic Wear Blade

G2, G2L, G2S

715004483 · 72" (183 cm)

MIN-UUL FEFED • To help prevent scratches on smooth driveways and markable surfaces.

Can-Am ProMount Blade Extensions

G2, G2L, G2S

■ 715004205 · Black ■ 715005319 · Yellow



- · Add 3" (8 cm) each side.
- · Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- Longer Wear Blade can be installed to further extend the extra length already provided by the extensions.
- Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Back Drag Blade

ProMount Plows (60" and more)

715007794



- ¼ thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- · Increased capacity to pull snow.
- More aggressive scraping in reverse mode.
- Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60 ", 66" and 72" blades.
- · Compatible with ProMount blades (Flex and Steel).

Plow Roller Fairlead

G2, G2L, G2S

705009222



- · Larger diameter lower roller reduces wear on wire rope for plow application.
- · Can be used with all ProMount plows.
- Included in plow mounting plate kit (715007751).

Pulley Kit for Alpine Super-Duty Plow

G2, G2L

715000279



- Pulley kit to be used in conjunction with the winch when using a snow plow.
- · Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Synthetic Winch Cable for Plowing

715000540



- Specially designed for plowing applications.
- 8' (2.4 m) section of durable, extra-strong synthetic rope.
- ${\boldsymbol{\cdot}}$ Stands up to repeated, sharp angle pulls used to lift heavy plow blades
- ${\boldsymbol{\cdot}}$ Temporarily replace your winch rope for plow season to save wear and tear on wire rope.

Plow Limit Switch

(Not illustrated)

G2, G2L, G2S

715006259

- For controlling the cable tension when over raising your plow system.
- Prevents winch, plow push frame and vehicle damage.

Can-Am ProMount Plow Angling System

G2, G2L, G2S

715007801



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Compatible with ProMount Blade.
- Push Frame (715007752) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- Winch and plow sold separately.

2024



MY24 OUTLANDER PRO HD5 T



Desert Tan

PACKAGE HIGHLIGHTS

- Speed limiter
- \bullet Visco-Lok † auto-locking front differential
- 26 in. (66 cm) 6-ply rating tires
- Premium front bumper, rear bumper, full skid plate
- Tow ball
- New comodo with flashers
- LED headlights & Taillights with LED signature

ENGINES	HD5
Type	30 kW (40 hp) / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD with Visco-Lok [†] auto-locking front differential
Driving Assistance	Speed Limiter
Power Steering	N/A
Speed Category	Up to 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	6-ply rating 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) steel
BRAKES	

Dual 214 mm disc brakes with hydraulic twin-piston calipers

Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	800 lb (362.9 kg)
LxWxH	89.9 x 48.8 x 57.4 in. (228.4 x 123.9 x 145.6 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)
	4.5 in. digital display
Gauge	4.5 in. digital display
Instrumentation	N/A
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature
Winch	N/A
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, full skid plate
Protection	Premium front bumper, rear bumper, full skid plate
Protection WARRANTY	Premium front bumper, rear bumper, full skid plate

Front

Rear

MY24 OUTLANDER PRO XU HD5

Not sold in Finland or Norway.



Tundra Green

PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Speed Limiter
- Intelligent Engine Braking (iEB™)

DIMENSIONS & CAPACITIES

- Visco-4Lok† front differential
- 26 in. (66 cm) XPS Trail King tires with 12 in. (30.5 cm) cast-aluminium wheels
- Premium Front Bumper, Rear Bumper, Full skid plate
- Premium Glovebox with cellphone holder and USB charger

ENGINE	HD5
Туре	30 kW (40 hp) / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok† front differential
Driving Assistance	Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Over 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	883 lb (400.5 kg)
I x W x H	89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)
= 7, 11, 7, 11	· · · · · · · · · · · · · · · · · · ·
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)
Fuel Capacity	5.1 gal (19.5 L)
Gauge	4.5 in. digital display
FEATURES	
Instrumentation	USB phone charger
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, full skid plate
WARRANTY	
Factory Warranty	2-year BRP limited warranty

MY24 OUTLANDER PRO XU HD5 T



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Speed Limiter
- Intelligent Engine Braking (iEB™)
- Visco-4Lok[†] front differential
- 26 in. (66 cm) XPS Trail King tires with 12 in. (30.5 cm) aluminium wheels
- Premium Front Bumper, Rear Bumper, Full skid plate
- Premium Glovebox with cellphone holder and USB charger
- 3,500 lb (1,588 kg) winch
- LED headlights & Taillights with LED signature
- Tow Ball & new flashers

Protection

WARRANTY
Factory Warranty

ENGINE	HD5
Type	30 kW (40 hp) / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok† front differential
Driving Assistance	Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	816 lb (370.1 kg)
LxWxH	89.9 x 48.8 x 57.4 in. (228.4 x 123.9 x 145.6 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)
	4.5 in. digital display
Gauge	4.5 in. digital display USB phone charger
Gauge Instrumentation	
Gauge Instrumentation Ignition	USB phone charger
Gauge Instrumentation Ignition Lighting	USB phone charger RF Digitally Encoded Security System (D.E.S.S.™) LED headlights and taillights
Gauge Instrumentation Ignition Lighting Winch	USB phone charger RF Digitally Encoded Security System (D.E.S.S.™) LED headlights and taillights LED signature
FEATURES Gauge Instrumentation Ignition Lighting Winch T-Category features Seat	USB phone charger RF Digitally Encoded Security System (D.E.S.S.™) LED headlights and taillights LED signature 3,500 lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators,

2-year BRP limited warranty

Premium front bumper, rear bumper, full skid plate

MY24 OUTLANDER PRO XU HD7

Not sold in Finland or Norway.



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Speed Limiter
- Intelligent Engine Braking (iEB™)
- Work / Standard / Sport modes
- Visco-4Lok† front differential
- 26 in. (66 cm) XPS Trail King tires with 12 in. (30.5 cm) cast-aluminium wheels
- Premium Front Bumper, Rear Bumper, Full skid plate
- Premium Glovebox with cellphone holder and USB charger

ENGINE	HD7
Туре	37 kW (50 hp) / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok [†] front differential
Driving Assistance	Work/Standard/Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Over 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CA	PACITIES
Estimated Dry Weight*	883 lb (400.5 kg)
LxWxH	89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg)
Fuel Capacity	5.1 gal (19.5 L)
FEATURES	
Gauge	4.5 in. digital display
Instrumentation	USB phone charger
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
Winch	N/A
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, full skid plate
WARRANTY	
Factory Warranty	2-year BRP limited warranty

MY24 OUTLANDER PRO XU HD7 T



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Speed Limiter
- Intelligent Engine Braking (iEB™)
- Work / Standard / Sport modes
- \bullet Visco-4Lok † front differential
- 26 in. (66 cm) XPS Trail King tires with 12 in. (30.5 cm) aluminium wheels
- Premium Front Bumper, Rear Bumper, Full skid plate
- Premium Glovebox with cellphone holder and USB charger
- 3,500 lb (1,588 kg) winch
- LED headlights & Taillights with LED signature
- Tow Ball & new flashers

ENGINE	HD7
Type	37 kW (50 hp) / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok [†] front differential
Driving Assistance	Work/Standard/Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	816 lb (370.1 kg)
LxWxH	89.9 x 48.8 x 57.4 in. (228.4 x 123.9 x 145.6 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)
FEATURES Gauge	4.5 in. digital display
Gauge	4.5 in, digital display
Instrumentation	USB phone charger
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature
Winch	3,500 lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, full skid plate
WARRANTY	

MY24 OUTLANDER PRO XU HD7 T ABS



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Anti-Lock Braking System (ABS)
- Speed Limiter
- Intelligent Engine Braking (iEB™)
- Work / Standard / Sport modes
- \bullet Visco-4Lok † front differential
- 26 in. (66 cm) XPS Trail King tires with 12 in. (30.5 in.) cast-aluminium wheels
- Premium Front Bumper, Rear Bumper, Full skid plate
- Premium Glovebox with cellphone holder and USB charger
- 3,500 lb (1,588 kg) winch
- LED headlights with LED signature
- Tow Ball & new flashers

ENGINE	HD7
Туре	37 kW (50 hp) / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD Visco-Lok [†] ABS (Open differential) with BTC (Brake torque Control)
Driving Assistance	Work/Standard/Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	833.6 lb (378.1 kg)
LxWxH	89.9 x 48.8 x 57.4 in. (228.4 x 123.9 x 145.6 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)
FEATURES Gauge	4.5 in. digital display
Instrumentation	
mon amornation	USB phone charger
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights
	LED signature
Winch	3,500 lb (1,588 kg) winch
	3,500 lb (1,588 kg) winch
T-Category features	3,500 lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators,
T-Category features	3,500 lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Winch T-Category features Seat Handlebar Protection	3,500 lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn Standard
T-Category features Seat Handlebar	3,500 lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn Standard Standard
T-Category features Seat Handlebar Protection	3,500 lb (1,588 kg) winch Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn Standard Standard

MY24 OUTLANDER MAX PRO XU HD7 T



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- Intelligent Engine Braking (iEB™)
- Work / Standard / Sport modes
- Visco-4Lok[†] front differential
- 26 in. (66 cm) XPS Trail King tires with 12 in. (30.5 cm) cast-aluminium wheels
- Premium Front Bumper, Rear Bumper, Full skid plate
- Premium Glovebox with cellphone holder and USB charger
- 3,500 lb (1,588 kg) winch
- LED headlights & Taillights with LED signature
- Tow Ball & new flashers

ENGINE	HD7
Туре	37 kW (50 hp) / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with work calibration Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok [†] front differential
Driving Assistance	Work/Standard/Sport modes Intelligent Engine Braking (iEB™) Speed limiter
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Up to 40 km/h or up to 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail King, 6-ply rating, 26 x 8/10 x 12 in. (66 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES

Estimated Dry Weight*	918 lb (416.4 kg)
LxWxH	94.2 x 47.6 x 57.4 in. (239.2 x 120.9 x 145.6 cm)
Wheelbase	60.4 in. (153.5 cm)
Ground Clearance	12.5 in. (31.8 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)

FEATURES

TEATORES	
Gauge	4.5 in. digital display
Instrumentation	USB phone charger
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature
Winch	3,500 lb (1,588 kg) winch
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Standard
Handlebar	Standard
Protection	Premium front bumper, rear bumper, full skid plate

WARRANTY

Factory Warranty	2-year BRP limited wa	arranty

MY24 OUTLANDER MAX DPS 500 T ABS



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- · Anti-lock Braking System (ABS)
- Visco-Lok† QE auto-locking front differential
- Full skid plate
- Tow ball
- Horn, flashers and mirrors

ENGINE	500
Туре	30 kW (40 hp) / 37 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD Visco-Lok† ABS (Open differential) with BTC (Brake torque Control)
Driving Assistance	N/A
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	25 x 8/10 x 12 in. (63.5 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast-aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	802.6 lb (364.1 kg)
LxWxH	94.2 x 47.6 x 56.9 in. (239.2 x 120.9 x 144.6 cm)
Wheelbase	60.4 in. (153.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)
Gauge	4.5 in. digital display
Instrumentation	N/A
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature
Winch	N/A
Seat	Standard
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Handlebar	Standard
Protection	Full skid plate
WARRANTY	

MY24 OUTLANDER MAX DPS 700 T ABS

Not sold in Sweden



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- · Anti-lock Braking System (ABS)
- · Work / Standard / Sport modes
- Visco-Lok† QE auto-locking front differential
- Full skid plate
- Tow ball
- Horn, flashers and mirrors

Legion Red

ENGINE	700
Туре	37 kW (50 hp) / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC TM) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD Visco-Lok† ABS (Open differential) with BTC (Brake torque Control)
Driving Assistance	Work / Standard / Sport modes
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h
Speed Category	More than 60 km/h

SUSPENSIONS

Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube

TIRES & WHEELS

Front & Rear Tires	25 x 8/10 x 12 in. (63.5 x 20.3 / 25.4 x 30.5 cm)
Wheels	12 in. (30.5 cm) cast-aluminum

BRAKES

Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

DIMENSIONS & CAPACITIES

Estimated Dry Weight*	802.6 lb (364.1 kg)
LxWxH	94.2 x 47.6 x 56.9 in. (239.2 x 120.9 x 144.6 cm)
Wheelbase	60.4 in. (153.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)

FEATURES

Gauge	4.5 in. digital display
Instrumentation	N/A
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Lighting	LED headlights and taillights LED signature
Winch	N/A
T-Category features	Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Seat	Standard
Handlebar	Standard
Protection	Full skid plate

WARRANTY

Factory Warranty	2-year BRP limited warranty	,

2024 OUTLANDER MAX XT 700 T ABS



PACKAGE HIGHLIGHTS

- Tri-Mode Dynamic Power Steering (DPS)
- · Anti-lock Braking System (ABS)
- Work / Standard / Sport modes
- Visco-Lok† QE auto-locking front differential
- Full skid plate
- Tow ball
- Horn, flashers and mirrors
- Painted Plastics

ENGINE	700
Туре	37 kW (50 hp) / 41 lb-ft, Rotax* ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT L/H/N/R/P
Drive Train	Selectable 2WD / 4WD Visco-Lok† ABS (Open differential) with BTC (Brake torque Control)
Driving Assistance	Work / Standard / Sport modes
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	More than 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube

SUSPENSIONS	
Front Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 10.25 in. (26 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Trail Force 26 x 8/10 x 14 in. (66 x 20.3 / 25.4 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum

Front Dual 214 mm disc brakes with hydraulic twin-piston calipers	BRAKES	BRAKES
7	 ront	Front
Rear Single 214 mm disc brake with hydraulic twin-piston caliper	lear	Rear

DIMENSIONS	& CAPACITIES
Cating ato al Dur.	010.016

Dividicate a or	
Estimated Dry Weight*	910.6 lb (413.1 kg)
LxWxH	94.2 x 47.6 x 57.4 in. (239.2 x 120.9 x 145.6 cm)
Wheelbase	60.4 in. (153.5 cm)
Ground Clearance	12 in. (30.5 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	9 gal (34 L)
Towing Capacity	1,830 lb (830 kg) trailer with brake 870 lb (394 kg) trailer without brakes
Fuel Capacity	5.1 gal (19.5 L)

FEATURES

4.5 in. digital display
USB Phone charger
RF Digitally Encoded Security System (D.E.S.S.™)
LED headlights and taillights LED signature
3,500 lb (1,588 kg) winch
Towing hitch with trailer plug, directional indicators, position lamps, mirrors, horn
Standard
Standard
Front and Rear Bumper, Full Skid plate

WARRANTY

Factory Warranty	2-year BRP limited warranty	

MY24 OUTLANDER X MR 700



PACKAGE HIGHLIGHTS

- Snorkeled CVT intake and exhaust
- · Relocated radiator

- Tri-Mode Dynamic Power Steering (DPS)
- Work / Standard / Sport modes
- Visco-4Lok† front differential
- 28 in. (71.1 cm) XPS Swamp King tires 14 in. (35.6 cm) aluminum wheels
- Front Bumper, Full skid plate, X mr footpegs
- Premium Glovebox with cellphone holder and USB charger

ENGINE	700
Type	37 k W (50 hp) / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc, single cylinder, liquid cooled with strategically positioned engine air intake
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	pDrive primary CVT with strategically positioned air intake and exhaust Extra low L/H/N/R/P
Drive Train	Selectable 2WD / 4WD / Lock 4WD with Visco-4Lok† front differential
Driving Assistance	Work / Standard / Sport modes
Power Steering	Tri-Mode Dynamic Power Steering (DPS)
Speed Category	Over 60 km/h
SUSPENSIONS	
Front Suspension	Double A-arm 9 in. (22.9 cm) travel
Front Shocks	Twin tube
Rear Suspension	Double A-arm 9.75 in. (24.8 cm) travel
Rear Shocks	Twin tube
TIRES & WHEELS	
Front & Rear Tires	XPS Swamp King 28 x 8/10 x 14 in. (71.1 x 20.3 / 25.4 x 35.6 cm)
Wheels	14 in. (35.6 cm) aluminum
BRAKES	
Front	Dual 214 mm disc brakes with hydraulic twin-piston calipers
Rear	Single 214 mm disc brake with hydraulic twin-piston caliper

Estimated Dry Weight*	876 lb (397.3 kg)
LxWxH	89.9 x 48.8 x 48.2 in. (228.4 x 123.9 x 122.5 cm)
Wheelbase	53 in. (134.5 cm)
Ground Clearance	13 in. (33 cm)
Seat Height	38.6 in. (98 cm)
Rack Capacity	Front: 120 lb (54.4 kg) / Rear: 240 lb (109 kg)
Storage Capacity	1 gal (3.8 L)
Towing Capacity	1,830 lb (830 kg)
Fuel Capacity	5.1 gal (19.5 L)
FEATURES Gauge	4.5 in. digital display
Gauge	4.5 in. digital display
Instrumentation	USB phone charger
Instrumentation Ignition	USB phone charger RF Digitally Encoded Security System (D.E.S.S.™) with cord
Ignition	RF Digitally Encoded Security System (D.E.S.S.™)
Ignition Lighting	RF Digitally Encoded Security System (D.E.S.S.™) with cord
Ignition Lighting Winch	RF Digitally Encoded Security System (D.E.S.S.™) with cord LED headlights and taillights
Ignition Lighting Winch	RF Digitally Encoded Security System (D.E.S.S.™) with cord LED headlights and taillights N/A
Ignition Lighting Winch Seat Handlebar	RF Digitally Encoded Security System (D.E.S.S.™) with cord LED headlights and taillights N/A Standard
Ignition Lighting Winch Seat	RF Digitally Encoded Security System (D.E.S.S.™) with cord LED headlights and taillights N/A Standard Standard
Ignition Lighting Winch Seat Handlebar Protection	RF Digitally Encoded Security System (D.E.S.S.TM) with cord LED headlights and taillights N/A Standard Standard





G3L ACCESSORIES

LinQ: Easy On, Easy Off Cargo	8
Cargo & Storage	8
Can-Am Windshields	8
Handlebars & Mirrors	8
Skid Plates	8
Bumpers & Guards	8
Electrical & Lights	9
Vinches	9
Hitches	9
Performance	9
Covers & Add-ons	9
Apache Track Systems	9
Promount Player	_



BUNDLE UP TO NEVER COMPROMISE. YOUR ATV BUNDLES.

STEP 1: CHOOSE YOUR ESSENTIAL RUNDLE

PUUNSE IN	JK E99EHIIYF BAHAFE	G3L	G3L MAX	
	Console Extension	715005368	715005368	
STARTER	Console Extension USB Power Outlet	715008750	715008750	
SIANIEN	LinQ Cargo Box (53 L)	715006997	715006997	
	LinQ Tool Kit	715006829	715006829	
	Fender Flares	715006336	715006336	
ADVANCED	Driver Full Wrap Handguards	715005361	715005361	
	LinQ Modular Box (10 L)	715005494	715005494	
PEAK	Bluetooth Handlebar Soundbar by MTX	219400840	219400840	
PEAK	Adventure High Windshield	715005377	715005377	

STEP 2: PICK YOUR ADD-ON BUNDLE

PICK YOUR I	ADD-ON BUNDLE	G3L	G3L MAX
	LinQ Stackable Fuel Caddy - 4 Gallons	860202246	860202246
ADVENTURE	XT Rear Bumper	715004953	715004953
	XT Front Bumper	715004952	715004952
	3.5" (9 cm) LED Driving Lights (2 x 14 W)	715003666	715003666
	LinQ Gun Case	715004968	715004968
HUNT	XU Front Bumper	715006614	715006614
	LinQ Gear Grips	715005340	715005340
	LinQ Chainsaw Holder	715004975	715004975
WORK	LinQ Rack Extension	715004954	715004954
	LinQ Tool Holder	715007358	715007358
	Integrated Heated Grips & Thumb Throttle Combo	715005072	715005072
	Adventure Side Wind Deflectors	715005862	715005862
WINTER	Heated Visor Outlet	715001246	715001246
	Heated Passenger Grips & Visor Outlet	N/A	715005358
	Trailering Cover	715005074	715005075

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

G3L	ccessories with 16" Base	① Front Cargo Compartment	2 Front Rack	Rear Cargo Compartment	(4) Rear Rack	LinQ Can Stack on Top
	LinQ 4.2 Gal (16 L) Cooler 219400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit 860201806	Tidok	Compartment	паок	on top
	LinQ Tool Box 715008111	Can be installed inside* or on the front cargo compartment.				
	LinQ SR 5.5 Gal (21 L) Bag 860202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				NO
	LinQ 4.5 Gal (17 L) Sport Bag 860202447					
	LinQ Modular Box (10 L) 715005494			YES, with LinQ Base Installation Kit 860201806		VEC
	LinQ Modular Box (20 L) 715007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO	000201000	NO	YES
The same of	LinQ Modular Box (30 L) 715006830		NO		NO	NO
E and	LinQ Tool Kit 715006829					YES
	LinQ Roll-Top Bag 715008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				
3	LinQ Fuel Caddy - 4 Gallons 860202246	YES, with LinQ Base Installation Kit 860201806				NO
	LinQ Oil Caddy - 1 Gallon 860202445	Must be installed inside* the front cargo compartment only.		NO		140
	LinQ Gun Case 715004968	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.				
		I .				
LinQ A	ccessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top
LinQ A	ccessories with 36" Base LinQ Large Cargo Box 715007001	Front Cargo Compartment	Front Rack NO		Rear Rack	Can Stack on Top
	LinQ Large Cargo Box	Front Cargo Compartment	Rack	Compartment	Rack	
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L)	Front Cargo Compartment	Rack		Rear Rack YES	Can Stack on Top NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L)		NO NO	Compartment	Rack	Can Stack on Top
LinQ A	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L)	Front Cargo Compartment	NO YES	NO YES, remove	YES	Can Stack on Top NO
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L)		NO NO	NO	Rack	NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L)		NO YES	NO YES, remove the rear rack for installation.	YES	NO YES NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler		NO YES	NO NO YES, remove the rear rack for	YES NO	NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715006273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case		NO YES	NO YES, remove the rear rack for installation. NO Rear Cargo	YES NO YES NO Rear	NO YES NO YES LinQ
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968	NO Front Cargo Compartment	NO YES NO YES	YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with	YES NO	NO YES NO YES
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 Olders and Racks LinQ Gear Grips	NO	NO YES NO YES	VES, remove the rear rack for installation. NO Rear Cargo Compartment	YES NO YES NO Rear	NO YES NO LinQ Can Stack on Top
	LinQ Large Cargo Box 715007001 LinQ Cargo Basket (90 L) 715005274 LinQ Cargo Box (53 L) 715006997 LinQ Low Profile Box (63 L) 715007827 LinQ Trunk Box (139 L) 715006097 LinQ Trunk Box (145 L) 715005273 LinQ 9.2 Gal (35 L) Cooler 715006998 LinQ Gun Case 715004968 lolders and Racks LinQ Gear Grips 715005340 LinQ Tool Holder	NO Front Cargo Compartment	NO YES NO YES	YES, remove the rear rack for installation. NO Rear Cargo Compartment YES, with Ling Base Installation Kit	YES NO YES NO Rear Rack	NO YES NO YES LinQ

^{*}Removal of front cargo compartment lid is required.

LINQ ACCESSORIES: EASY ON, EASY OFF CARGO



- No tools needed: Quickly install and remove accessories by hand.
- Equip your Can-Am vehicle for specialized tasks in no time.
- Sturdy mounting system that holds up to the roughest terrain.

L L	cessories with 16" Base inQ 4.2 Gal (16 L) Cooler	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	Can Stack	
2 L					Nack	on Top	
	19400964 • Black / 295100698 • White	YES, with LinQ Base Installation Kit 860201806					
7	inQ Tool Box 15008111	Can be installed inside* or on the front cargo compartment.		NO		NO	
	inQ SR 5.5 Gal (21 L) Bag 60202449	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.				NO	
	inQ 4.5 Gal (17 L) Sport Bag 60202447			YES, with LinQ Base Installation Kit 860201806			
	inQ Modular Box (10 L) 15005494					YES	
	inQ Modular Box (20 L) 15007112	YES, with LinQ Base Installation Kit 860201806 Can be installed inside* or on the front cargo compartment.	NO		NO	1E3	
	inQ Modular Box (30 L) 15006830		NO		NO	NO	
THE REAL PROPERTY.	inQ Tool Kit 15006829			NO		YES	
	inQ Roll-Top Bag 15008110	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid only.		NO			
	inQ Fuel Caddy - 4 Gallons 60202246	YES, with LinQ Base Installation Kit 860201806					
	inQ Oil Caddy - 1 Gallon 60202445	Must be installed inside* the front cargo compartment only.				NO	
	inQ Gun Case 15004968	YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.					
LinQ Acc	cessories with 36" Base	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
	inQ Large Cargo Box 15007001		NO				
	inQ Cargo Basket (90 L) 15005274			NO	YES	NO	
	inQ Cargo Box (53 L) 15006997		YES			V50	
→ L ₇	inQ Low Profile Box (63 L) 15007827	200				YES	
L 7	inQ Trunk Box (139 L) 15006097	NO	NO	YES, remove	NO	NO	
	inQ Trunk Box (145 L) 15005273		NO	the rear rack for installation.	NO	YES	
	inQ 9.2 Gal (35 L) Cooler 15006998		\/F0	No	YES	No	
	inQ Gun Case 15004968		YES	NO	NO	NO	
LinQ Hol	ders and Racks	Front Cargo Compartment	Front Rack	Rear Cargo Compartment	Rear Rack	LinQ Can Stack on Top	
at at	inQ Gear Grips 15005340			YES, with LinQ Base			
		VEC with LinC Page Installation Vit 060001000	l .				
11 L	inQ Tool Holder 15007358	YES, with LinQ Base Installation Kit 860201806	YES	Installation Kit 860201806	YES		
7 1 L		YES, With Ling base Installation Kit 860201806	YES		YES	NO	
To the second se	inQ Fuel Caddy - 4 Gallons 60202246 inQ Oil Caddy - 1 Gallon 60202445 inQ Gun Case 15004968 cessories with 36" Base inQ Large Cargo Box	Must be installed on the front cargo compartment lid only. YES, with LinQ Base Installation Kit 860201806 Must be installed inside* the front cargo compartment only. YES, with LinQ Base Installation Kit 860201806 Must be installed on the front cargo compartment lid.	Rack	Rear Cargo Compartment	Rear Rack	NO Lin Can Stac	

^{*}Removal of front cargo compartment lid is required.

LinQ Accessories with 16" Base

LinQ Fuel Caddy - 4 Gallons

860202246



- · Quick, easy and secure installation with LinQ system.
- · No-spill spout for easy use.
- 3.7 US callon (14 L) capacity.
- Meet the new latest Flame Mitigation Device (FMD) standard.
- Must be installed in the Front Cargo Compartment.
- LinQ Base Installation Kit (860201806) required.
- No LinQ 16" accessories can be stacked on the LinQ 4-Gallon Fuel Caddy.
- Check local regulations regarding fuel transportation

LinQ Oil Caddy - 1 Gallon

G3L

860202445




- 1 US gallon (3.78 L) capacity.
- Must be installed in the Front Cargo Compartment.
- · LinQ Base Installation Kit (860201806) required.
- No LinQ 16" accessories can be stacked on the LinQ 1-Gallon Oil Caddy.

LinQ Chainsaw Holder

G3L (except X mr models)

715004975



- This system installs a chainsaw vertically to save space on the rack and serves as a scabbard for storage.
- · Pinch the blade for a solid and quick fix.
- Compatible with the majority of chainsaws available on the market as most blades go up to 18".
- Compatible with all 16" LinQ accessories that fit in the front cargo compartment.
- · Allows installation of the LinQ Tool Holder.
- Not compatible with the LinQ Rack Extension when installed on the front rack of the vehicle.

LinQ Modular Box

715005494 · (10 L) 715007112 · (20 L)

715006830 · (30 L)



- · Allows stacking of other modular boxes to always have the right gear accessible.
- · Always have the right box size to fit everything.
- · Can be installed on any LinQ Base with a 16" width.
- See table for installation location and requirements.

Thermal Insert for LinQ Modular Box (10 L)

G3I

G3I

219401110



- · Insulated liner.
- · Fits very well in the LinQ Modular Box (10 L)
- · Can contain seven 355 ml cans.
- Keeps ice cold for one day.
- Interior dimensions: 9" L x 17" W x 2½" H.

LinQ Tool Kit

715006829



- Includes:
- Cutter pliers
- Long-nose pliers
- Locking pliers
- Ratchet wrench 3/8" drive - 6" ratchet extension
- Integrated CVT belt
- storage location (belt not included)
- Long-socket 19 mm 3/8" drive - 6 pts
- Socket 18 mm 3/8" drive
- Long-socket 17 mm
- 3/8" drive 6 pts
- Socket 15 mm %" drive
- Socket 13 mm 3/8" drive - Socket 10 mm 3/8" drive
- Socket 8 mm 3/8" drive
- Combined wrench 19 mm
- Combined wrench 18 mm
- Combined wrench 15 mm
- Combined wrench 13 mm
- Combined wrench 10 mm
- Combined wrench 8 mm
- Socket Torx T40 3/8" drive
- Socket Torx T30 %" drive - Socket Torx T20
- %" drive
- Breaker bar %"
- · See table for installation location and requirements.

LinQ 4.2 Gal (16 L) Cooler

G3I

■ 219400964 · Black

295100698 · White



- All the benefits of LinQ—simple, fast and secure.
- · Rotomolded construction for exceptional rigidity and durability.
- Premium-quality foam insulation for optimal ice retention.
- Uses LinQ mounting system (Patent US 8777531 and US 8875830).
- · Easy one-second on/off toolless system.
- · Can contain twenty 355 ml cans
- · Keeps ice cold for three days.
- Exterior dimensions: 13" L x 20" W x 10" H.
- Interior dimensions: 9" L x 17" W x 7" H.
- · See table for installation location and requirements.

LinQ Tool Box | G3L | 715008111



- · High precision injected HDPE construction provides rigidity and durability.
- 5 gal (19 L) maximum capacity.
- · Weather-resistant, sealed and lockable cover.
- · Marinized for salt water purposes.
- · See table for installation location and requirements.

LinQ Roll-Top Bag

G3L

715008110



- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- LinQ mounted using heavy-duty rigid plastic base.
- High capacity storage solution 10.6 gal (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle.
- Marinized for salt water purposes.
- Dimensions: 14" L x 19" W x adjustable H.
- See table for installation location and requirements.

SR 5.5 Gal (21 L) LinQ Bag

G3L

860202449



- · Semi-rigid expandable bag.
- 5.5 gal (21 L) capacity.
- See table for installation location and requirements.

LinQ 4.5 Gal (17 L) Sport Bag

G3L

860202447



- · 4.5 gal (17 L) capacity.
- · Rigid bottom, semi-rigid top.
- See table for installation location and requirements.

LinQ Accessories with 36" Base

LinQ Trunk Box (145 L)

G3L (except MAX models)

715005273



- Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity.
- Storage capacity of 31 gal (145 L).
- Easy to install and remove with the LinQ system.
- LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- \bullet Possibility to install LinQ 16" accessories on the cover to increase the cargo capacity.
- New ergonomic and resistant latch system offers excellent sealing.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).

LinQ Trunk Box (139 L)

G3L (MAX models only)

715006097



- $\bullet \ \ \text{Polyethylene Trunk Box replacing the rear rack for perfect integration and to increase cargo capacity}.$
- Storage capacity of 30 gal (139 L).
- Easy to install and remove with the LinQ system.
- LinQ anchors must be installed in the rear cargo compartment (4 LinQ anchors included).
- Compatible with the passenger seat.
- New ergonomic and resistant latch system offers excellent sealing.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).

LinQ Cargo Box (53 L)

G3L

715006997

83



- Made of polyethylene.
- Storage capacity of 14 gal (53 L).
- ${\boldsymbol{\cdot}}$ Easy to install and remove with the LinQ system.
- Can be installed on the front or rear racks.
- $\boldsymbol{\cdot}$ New ergonomic and resistant latch system offers excellent sealing.
- Possibility to install LinQ 16" accessories on the cover and increase the cargo capacity.
- Ability to install LinQ Tool Holders (715008896) on the box.
- Lockable with a lock on the front of the box (two keys included).

NEW LinQ Low Profile Box (63 L)

G3L

715007827



- Made of impact-resistant injected polypropylene and weatherproof, this box has a storage capacity of 16.6 gal (63 L).
- LinQ-mounted for efficient and secure storage, it is locked in place with only a quarter turn. Easy to install, easy to remove using the LinQ system.
- · Can be installed in a 36" configuration only.
- LinQ 16" accessories can be installed on the cover to increase cargo capacity.
- Easily carried with the rigid handle. The anti-vibration system prevents the handle from moving while riding.
- Support feet at hinge level so the box can stand on its own.
- The compact design allows for maximum rear field of vision.
- Features a lock on the front of the box (two keys included).

LinQ Cargo Basket (90 L)

G3L

715005274



- · Made of polyethylene.
- Storage capacity of 23 gal (90 L).
- · Easy to install and remove with the LinQ system.
- · Can be installed on the front or rear racks.
- Six handles on the contour to easily install bungee cords.
- · Ability to install LinQ Tool Holders (715008896) to the basket.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Large Cargo Box

G3L

715007001



- · Rear bed to carry large items.
- · Anchor points (D-ring), LinQ fixtures for tool holder, and marks to allow the installation of a 16" accessory.
- Also has a mat for the floor and slot to enable the installation of a divider and a slot for a divider to close the recess on the rear vertical lip.
- It is installed on ATV platforms through the LinQ system and hooks to make it easily installable and removable.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information

NEW LinQ 9.2 Gal (35 L) Cooler

G3L

715006998



- LinQ-mounted for efficient and secure storage, locked in place with only a quarter turn.
- Easy to install, easy to remove using the LinQ system.
- · Installation in LinQ 36" configuration.
- Made of polyethylene for exceptional rigidity and durability.
- Storage capacity of 9.2 gal (35 L).
- Lock the cooler on the vehicle using the LinQ Lock (860201968).
- Premium-quality foam insulation for optimal ice retention.
- Option to add a 5-slot LinQ Lite Rail on the side and at the rear of the cooler.
- A dry basket is included to protect your food from water.
- Drain plug at the bottom to get rid of excess water.
- The new ergonomic and resistant latch system ensures the top is tightly sealed.
- Innovative way to hold 12 cans (355 ml).
- Molded-in handles for quick installation and removal.

LinQ Rack Extension

G3L

715004954





- Easy to install and remove with the LinQ system.
- Fits front or rear of the vehicle.
- Provides tie-down points to secure cargo on racks.
- · Made of steel with anti-corrosion coating and durable powder-coat finish.
- Height of 7'

LinQ Holders

LinQ Tool Holder

G3L

715007358



- Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation.
- · Sold in pairs.

LinQ Gear Grips

G3L

715005340



- Durable and flexible grips provide a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter.
- Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- Quick-release button opens grip quickly for easy access to gear.
- Heavy-duty base system built for the toughest adventures.
- $\bullet \ \ \text{Make transporting your tools a snap by combining the Gear Grips with the LinQ system}.$
- 360° orientation.
- · Sold in pairs.

LinQ Gear Grips 715001421



- Durable, flexible grips cushion and protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10 cm) in diameter
- · Heavy-duty design for carrying bows, fishing poles, rakes, farm tools and more.
- · Quick-release button opens grip quickly for easy
- Heavy-duty base system built for the toughest adventures
- · Easy installation on tubular racks, extension racks, brackets or bumpers.
- Sold in pairs.

LinQ Gun Case G3I 715004968



- · The practical design lets riders store shotguns and rifles up to 52" (132 cm), even with most optic configurations.
- · Adapts to different weapon shapes and features with foam cushions that can be repositioned.
- The Gun Case is LinQ-mounted for efficient and secure storage, and is locked in place with only a quarter turn.
- The LinQ Gun Case must be installed on the front compartment lid using the LinQ Base Installation Kit (860201806), on the Front Rack or on fender position using the LinQ Gun Case Mounting Kit (715006074).

NEW LinQ Gun Case Mounting Kit - Fender Position G3L

715006074



- This kit is required to install the LinQ Gun Case on fender position on G3L, G3L MAX and X mr models.
- · Installs on the right side of the vehicle, and the safety system allows the driver or passenger to quickly exit the vehicle.
- The low-profile mounting system can be left on the vehicle year-round and doesn't get in the way when the Gun Case is not installed.

Holders

Tool Holder Bolt-On G3I 715008896



- Tool Holder is made to fit the LinQ Cargo Basket (90 L), LinQ Cargo Box (53 L), LinQ Trunk Box (139 L) and LinQ Trunk
- Convenient swivel-latch allows tools of all shapes to be stored in the proper orientation.
- Sold in pairs
- · Several degrees of adjustment.

715002354 · Single **Multi-Fit Holder** 715001945 · Double



- · Open U-shaped bracket for carrying tools (shovel, axe) and hunting weapons (rifle, bow) that are safely secured, but
- · Easy installation on tubular rack, extension racks, basket or bumpers.
- · Sold in pairs.
- For G2, the LinQ Rack Extension (715001711) is required.

LinQ Mounting

LinQ Base Installation Kit 860201806





- · Unique mounting fastener usable on any LinQ system accessory.
- Included: 2 cargo LinQ bases and hardware.

LinQ Base 715002350



- · Made of polypropylene glass fiber.
- · Allows you to install LinQ accessories.
- Sold in pack of 4.

LinQ Lock G3L 860201968



- · Simple way to securely lock most LinQ accessories.
- · Lock cover protects lock from the elements.
- · Corrosion resistant.
- · Pack of 1, includes 2 keys
- Not compatible with LinQ 4.2 US Gal (16 L) Cooler, LinQ Tool Box, LinQ Tool Holder and LinQ Gear Grips.

CARGO & STORAGE

Soft Storage Bag (70 L)

G3I

715007002



- · Carry your gear in a weatherproof bag.
- Soft bag with a storage capacity of 18.5 gal (70 L) designed to maximize space in the front or rear of the vehicle.
- 3-compartment bag with removable dividers.
- · Easy to install with strap system.
- · X mr models: Fits on rear rack only.

CAN-AM WINDSHIELDS

Adventure High Windshield - Hardcoated

G3L (except X mr models)

715007268



- Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and winter weather
- Made of injected polycarbonate with a thickness of 5/32" (4 mm) with ultra-resistant Quantum[†] coating.
- Provides excellent optical clarity and better abrasion resistance.
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Adventure High Windshield

G3L (except X mr models)

715005377



- Adventure windshield with three-position adjustable height.
- 14" (36 cm) high to protect against wind and weather.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm).
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Adventure Low Windshield

G3L (except X mr models)

715005860



- Adventure windshield with three-position adjustable height.
- 10 in (25 cm) high for wind protection.
- Made of injected polycarbonate with a thickness of 5/32" (4 mm).
- Console Extension (715005368) is required for installation.
- Side Wind Deflectors (715005862) available for added protection.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Adventure Side Wind Deflectors

G3L (except X mr models)

715005862



- Side Wind Deflectors for additional wind protection.
- · Easy installation.
- Console Extension (715005368) is required for installation.
- Works with Adventure Windshields (715005860, 715005377, 715007268).
- Not compatible with Integrated Audio System (715005354).

Console Extension

G3L (except X mr models)

715005368



- Integrated storage compartment (1 gal/4 L) with magnetic mount safe for your electronic device.
- Robust injected fiber-reinforced-polypropylene construction makes it easy to fit and install.
- 25 times stronger than any smartphone's weight, so you can ride through rough terrain confidently.
- Two possible positions for your electronic device: portrait and landscape.
- · Includes everything needed for installation on your favorite electronic devices: two pre-assembled Can-Am plates with 3M multi-surface adhesive.
- Includes guide clips molded into the door to pass the charging cable.
- Possibility of installing USB outlet in storage compartment (USB power outlet sold separately).
- · Required for the installation of the Adventure windshield and side wind deflectors.
- · Not compatible with Snorkel Kit.
- · Includes tether cord for additional peace of mind.

Console Extension USB Power Outlet

G3L (except X mr models)

715008750



- Useful for the Console Extension (715005368) to plug your electronic device charger into the compartment.
- USB-A and USB-C ports.
- Rubber cap protects ports when not in use.
- · Backlit to highlight the USB ports.
- · Console Extension (715005368) is required for installation.

HANDLEBARS & MIRRORS

Driver Full Wrap Handguards

G3I

■ 715005361 · Black

715005362 · Neo Yellow



- · Protects against wind, branches and debris.
- Rugged injected plastic deflectors with Can-Am logo.
- · Lightweight black die cast aluminum full wrap frame.
- New ergonomic design offers better comfort for the hand and increases protection.
- · Mounting system leaves the handlebar free.
- · Includes complete hardware.

Passenger Wind Deflectors

G3L (MAX models only)

715001669



- These wind deflectors fit on the passenger handles and provide greater comfort while riding.
- · Easy to install and remove

Handlebar Mirrors


G3L

715005366



- · Adjustable handlebar mounted convex mirrors.
- The convex surface allows improved visibility with a wider field of view.
- · Doesn't require a windshield or fairing to be mounted.
- · Works with all windshield options.

SKID PLATES



OUTLANDER

G3L					
20	23				
Except MAX models	MAX models only				
Skid Plate Protection	Kit				
715005309	715005310				
Individual Skid Plate	S				
1 Front Aluminum A-Arm	Protectors				
715005305	715005305				
2 Rear Aluminum A-Arm P	rotectors				
715005308	715005308				
3 HMWPE Underbelly Plat	tes				
715005306	715005307				

Our Skid Plates deliver the durability, strength, and reliability your adventures need. Protect the underbelly of your vehicle from front to rear, with folded ends at the footwells for a little extra. They combine materials for peak protection: with aluminum A-arms and a plastic underbelly, your ride can drive across rough terrain confidently.

- Quick and easy, bolt-on installation.
 No need to remove factory skid plates.
 No more rivets or rivnuts.
- Thicker underbelly plates (10 mm).

BUMPERS & GUARDS

Bumpers

XU Front Bumper

G3L

715006614



- $\bullet \ \ \text{Heavy-duty tubular construction provides the most complete protection for your vehicle}$
- · Protects vehicle lights and corners.
- · Winch compatible.
- Integrated tow hook.
- · Similar to the XU model's bumper.

XT Front Bumper

COL

715004952



- Provides additional protection for your vehicle against the elements.
- · Tough and durable.
- Large tube construction with black powder coat finish.
- · Similar to stock bumper on XT models.
- Mounting plate included for tow hook.

Extreme Front Bumper Plate

G3L (except X mr models)

715005439



- Ultra-robust construction provides additional protection to the front of the vehicle in rough terrain.
- · Compatible with all front bumpers.
- · Not compliant with T-category

Front Tow Hook

G3L

715008842



- Provides a solid anchor when towing is needed or when transporting the vehicle.
- · Allows you to attach most hooks or straps.
- This tow hook offers 3,500 lb (1,587 kg) of towing capacity.
- Made of forged steel.
- XT Front Bumper (715004952) required for installation.

Full Rear Bumper

G3

715008738



- Provides additional protection for your vehicle against obstacles.
- ${\boldsymbol{\cdot}}$ Protects the rear lights of the vehicle without obstructing them.
- $\bullet \ \, \text{Strong and durable, it must be added to the XT rear bumper (stock or accessory) for full protection.}$
- Wide and sturdy tubular construction with black powder-coat finish and metal corners.

XT Rear Bumper

G3L (STD, DPS & X mr models only)

715004953



- Sturdy tubular construction.
- Protects the vehicle against obstacles.
- Standard on Outlander XT and Outlander PRO.
- Fits base models with grab bar only.
- Required to install the Full Rear Bumper.

Guards

Fender Flares

G3L

715005349 • (Except T-category models) **715006336** • (T-category models only)



- · Kit is designed to deliver extra protection to your vehicle from dirt and debris. If you enjoy riding in the mud, it's a must.
- Made of injected plastic that hugs your vehicle fenders perfectly.
- Gives vehicle added flair for a rugged, cool look.
- Includes front and rear extensions and all mounting hardware.

ELECTRICAL & LIGHTS

Integrated Heated Grips & Thumb Throttle Combo

G3L

715005072



- Heat levels for grips and thumb displayed on vehicle screen.
- Ergonomic button integrated on LH grip.
- Single button for both grips and thumb heat selection.
- · Five temperature settings for the thumb and grips.
- · Adjustable heat ratio between grip and thumb warmer.
- Hold button to reach maximum heat quickly.
- · Remembers your last heat setting.
- IP67-rated waterproof sealing keeps the elements out.
- · ECE compliant.
- · Plug-and-play installation.
- · Clamp-on grips, no glue required.

Heated Passenger Grips & Visor Outlet

G3L (MAX models only)

715005358



- · Replace your stock passenger handles.
- Dual temperature switch integrated into seat arm for 3-zone heated handles and grips.
- · Heated visor outlet integrated into seat arm.

Seat Heater

G3L

715007211



- 25 W seat heater delivers chill-free riding comfort.
- · One temperature only.
- · Heated pad and electrical harness only.
- Heavy-Duty Seat Cover (715008311) is required for installation on 1-up models.
- Heavy-Duty Seat Cover (715008313) is required for installation on 2-up models.

Heated Visor Outlet

G3L

715001246



- · Strategically positioned on vehicle to maintain your agility.
- · Optional visor outlet that delivers fog-free riding.
- · Quick and easy installation.
- Sold individually.
- · Heated Visor not included.

USB Intelligent Power Outlet Kit

G3I

715009117



- Power all your electronics with this easy-to-mount USB plug.
- Provides one USB-A3.0 and one USB C (PD) plug.
- Power rate: 36 watts.
- Intelligent USB charger for a fast charge when battery is low.
- Replaces the vehicle's 12 V socket.

NEW Cellphone Holder

G3I

715008786



- Water resistant door allows for perfect phone positioning.
- Features capacitive and resistive touch screen technology.
- Spring system in back plate automatically adjusts for thickness.
- Fits all cellphones within 7.2" (185 mm) x 3.3" (85 mm) x 0.6" (15 mm) dimensions.
- Works with almost all charger wires.
- Does not include cellphone or charging wires.
- Requires the GPS RAM Mount for Handlebar (715001985) or the Console Extension (715005368) for installation.
- If installed on the Console Extension, the Console
 Extension USB Power Outlet (715008750) is required to
- If installed on the Console Extension, Driver Full Wrap Handguards (715005361 or 715005362) are incompatible.



 Convenient bracket for installing the Garmin Montana GPS (715002830) or the Cellphone Holder (715008786) (not included) onto your unit's handlebar.

NEW Integrated Audio System

G3L

715005354



- · Fully integrated and weatherproof audio system.
- Includes two 6.5" front fender Bluetooth speakers giving you fingertip control of the tracks you're playing.
- Designed to be Can-Am tough in the most demanding riding conditions.
- Expertly tuned for exceptional sound, even when you're on the move on your Outlander.
- Comes with two speakers, each with 50 W dynamic power, for a total of 100 W dynamic power.
- Seamless integration and operation from any Bluetoothenabled devices, or via an auxiliary port.
- Plug-and-play audio system specifically designed not to drain the battery.
- Compatible with the Console Extension (715005368) and Adventure Windshields.
- Not compatible with the Adventure Side Wind Deflectors (715005862).
- EC compliant.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

Bluetooth Handlebar Soundbar by MTX

G3I

219400840



- Bluetooth speaker with the unbeatable convenience of fingertip control.
- Rugged IP66-rated weather-resistant speaker designed for outdoor use.
- · Driven by 150 watts of quality audio power.
- Seamless integration and operation from Bluetooth enabled devices.
- Includes input, ground and ignition wires, plus auxiliary port and 3.5" (8.89 cm) connector cable.
- · Not compatible with XT Handlebar Protector Kit.
- EC compliant.

Note: We recommend you use 320 Kbps MP3 - 192-256 Kbps AAC or AIFF, WAV formats to match the potential of the speaker. More compressed formats will probably have degraded sound quality.

3.5" (9 cm) LED Lights (2 X 14 W) LED Driving Lights

G3L

715003666



- 14 W LED lights producing 1,260 lumens each
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.

G3L

Sold in pairs.

- CE certified.
- Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.
- XT or XU Front Bumpers (715004952 and 715006614) and Light Power Cable (715005353) required for installation.
- · Can also be installed on the stock front bumpers (XT and XU).

3.5" (9 cm) LED Lights (2 X 14 W) LED Flood Lights



- 14 W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision, rotate to the next channel point and re-mount the light.
- Sold in pairs.
- · CE certified.

715003665

- Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, dusty or foggy riding conditions.
- XT or XU Front Bumpers (715004952 and 715006614) and Light Power Cable (715005353) required for installation.
- Can also be installed on the stock front bumpers (XT and XU).

10" (25 cm) Double Stacked LED Light Bar (60 W)

G3L

715002933



- Equipped with 12 5 W Cree LEDs.
- 5,400 lumens.
- Rugged and waterproof.
- Packs a big punch for its size.

- Not EC compliant.
- XT or XU Front Bumpers (715004952 and 715006614) and Light Power Cable (715005353) required
- · Can also be installed on the stock front bumpers (XT and XU).

15" (38 cm) Double Stacked LED Light Bar (90 W)

G3L

715002934



- Equipped with 18 5 W Cree LEDs. 8,400 lumens
- · Complements the Light Racks and most bumpers.
- Rugged and waterproof.
- Lights up to more than 1,900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.
- · Not EC compliant.
- XT Front Bumper (715004952) and Light Power Cable (715005353) are required for installation.
- Can also be installed on the stock front bumpers (XT and XU).

Light Power Cable

(Not illustrated)

G3L

715005353

• Required for installation of the 10" (25 cm) and 15" (38 cm) LED Light Bars, as well as the 3.5" (9 cm) LED Lights.

RAM† LED Spotlight

G3L

710005423



- 540 lumen LED light (9 W) heavy-duty spotlight standard-equipped with 1" (2.5 cm) diameter rubber-coated double ball and socket system.
- Not EC compliant

Battery Charger/Maintainer

715005061



- · Keeps stored lead-acid batteries charged.
- · Charges and maintains small batteries.
- Microprocessor controlled multi-stage charging for added precision, safety and battery life.
- · Automatically detects 6- or 12-volt batteries.
- Reverse hook-up protection helps protect battery and charger from damage.
- · Auto-voltage detection.
- Press the display button to show the charge progress.
- Content: 3 amp battery charger, clamp adapter, DC adapter, 24" (61 cm) fused ring leads harness with weather cap, owner's manual.
- US plug (110 V)
- Not available in Europe

Jump Starter

715005062



- IPX3 water-resistant and enclosed output ports.
- 4 LED battery indicators for easy read on battery charge level.
- Compact design, will conveniently fit in your backpack, glove box or any other storage compartment.
- Ideal for powersports, motorcycles and 4 or 6 cylinder engines.
- 2.4A + 1A/5V USB ports for fast charging of all USB devices.
- Smart cable provides protection against reverse polarity, short circuit, low voltage, high temperature and reverse charging.
- Built-in LED light (3 modes).
- Content: 300CA jump starter, SA858 smart cable clamp, MC-USB to USB charging cable, travel bag, user manual.
- · Not EC compliant.
- · Not available in Europe

Quick Connect Battery Cable

715005408



- Quickly and easily connect and charge different items with your charger.
- · Included in the Battery Charger/Maintainer (715005061).
- · Sold individually.
- Not available in Europe

Quick Connect Cable with Battery Indicator

715006055



- $\bullet \ \ {\it Quickly\ and\ easily\ connect\ and\ charge\ different\ batteries\ with\ your\ charger.}$
- 3-color LED indicator provides constant battery health indication.
- Sold individually.
- Not available in Europe.

C-TEK charger

860200997



- • CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for all BRP products.
- $\boldsymbol{\cdot}\cdot \mathsf{Charger}$ is built to meet the demanding arctic conditions.
- · Ask your dealer for more information.

WINCHES

Can-Am HD Winches

Can-Am HD 2500 Winch

715006973



- Ergonomic clutch handle
- Rugged all-steel gears and bushings for more torque and longer life.
- Automatic 100% load-holding brake.
- · Corded 10 ft. (3 m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 2,500 lb (1,134 kg).
- 50 ft. of 3/6" (15.2 m of 4.8 mm) wire steel cable.
- · Heavy-duty 4-way roller fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- · Plug-and-play wiring.
- · A-armsEC and UKCA compliant.

Can-Am HD 3500 Winch

715006974



- · Ergonomic clutch handle.
- · Rugged all-steel gears and bushings for more torque and longer life.
- · Automatic 100% load-holding brake.
- · Corded 10 ft. (3 m) weather sealed wired remote control (sold separately).
- Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of %2" (15.2 m of 5.2 mm) wire steel cable.
- · Heavy-duty 4-way roller fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- · A-armsEC and UKCA compliant.

Can-Am HD 3500-S Winch

715008285



- · Ergonomic clutch handle.
- Rugged all-steel gears and bushings for more torque and longer life.
- · Automatic 100% load-holding brake.
- · Corded 10 ft. (3 m) weather sealed, wired remote control (sold separately).
- · Pulling strength capability of 3,500 lb (1,588 kg).
- 50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic rope.
- · Heavy-duty hawse fairlead.
- · Weather-sealed handlebar-mounted switch.
- · Sealed solenoid for all-weather protection.
- Plug-and-play wiring.
- · A-armsEC and UKCA compliant.

Winch Accessories

Can-Am HD Wired **Remote Control**

Can-Am HD Winches (715008140/715008141/715006973/715009674/715008285)

715008121



- This kit allows owners to add a handheld remote to their winch or a stock winch.
- · Works with the handlebar-mounted switch.
- · Wired Remote and Remote Socket included.
- 10 ft. wire.

Winch Accessories Kit

715002409

93



- · Get the most out of your winch.
- Double your pulling power, change your pulling direction and keep your winch in proper working order.
- · Includes tree straps, snatch block, shackle and winching gloves.

HITCHES

Hitches

Front Receiver Hitch

G3L

715004977



- Installs easily. No drilling required.
- This hitch offers a 1,500 lb (680 kg) towing capacity.
- Allows you to maneuver your trailer easily in tight, confined areas.
- Hitch bar sold separately.

Rear Hitch Drawbar Kit

001

715006230



- Works on 2" (5 cm) standard receiver hitch.
- Offers a towing capacity of 3.8 kN (R = 750 kg).
- 50 mm Hitch Ball included.
- Forged steel.
- For European vehicles only.

Front and Rear Hitch Drawbar

G3L

715008350



- Standard on 2" (5 cm) receiver hitch.
- It offers 1,650 lb (750 kg) of towing capacity.
- Hitch ball not included.
- Forged steel.
- · Not compliant with T-category.

Hitch Accessories

Rubber Receiver Plug

705204503



• Rubber cap for 2" (5 cm) hitch receiver.

PERFORMANCE

Performance

NEW Snorkel Kit

G3L

715005073



- · Comprehensive snorkel kit for extended air intakes and CVT exhaust.
- The CVT outlet integrates into the pod cover.
- · Ideal when riding in muddy conditions.
- · Not compatible with windshields.
- · Can be installed with the Integrated Audio System (715005354).
- · Not compliant with T-category.

NEW Radiator Relocator Kit

G3I

715004943



- Relocates radiator to top mount position.
- Prevents cooling performance loss in muddy conditions.
- Allows riders to open the relocator hood for easy radiator cleaning.
- Engineered for easy cooling system bleeding and maintenance.
- Includes support, hardware and hoses. Uses existing radiator: radiator not included.
- Not compliant with T-category.

Mud Strap

G3L

715003053



- Convenient sturdy grab-handle.
- Lets drivers redistribute their weight for improved traction in demanding conditions.
- Not compatible with XT Handlebar Protector Kit (703100352).

Radiator Protector

G3L (except X mr models)

715005333



- Metal shield mounts over radiator face and protects vehicle from stones and branches.
- Slides easily out of its holder for easy cleaning.

NEW Heavy Duty Spring Kits

G3L (except MAX & X mr models)

715008202 · Front **715004942** · Rear

COOLITAN

- $\bullet \ \, \text{Allows riders to replicate the standard HD5/HD7 suspension setup on the Outlander 500/700 (1-up)}.$
- The heavy-duty springs improve handling and provide enhanced stiffness, which is perfect for snow clearing and hauling heavy loads.
- Two springs included in the kit.

NEW Aluminum Footpeg Kit

G3L

715008199



- Provides maximum integrated grip and stability during vigorous riding.
- The kick-up end gives riders added grip during hard cornering.
- Made of aluminum, sold in pairs.

Emergency Accessories

Emergency Kit

715006102



- Complete emergency kit provides all essential equipment and supplies to get out of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

COVERS & ADD-ONS

NEW Heavy-Duty Seat Cover

G3L (except MAX models)

715008311



- · Heavy-duty materials to cover and protect the seat.
- · Designed to fit the vehicle's lines perfectly.
- · Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

NEW Heavy-Duty Seat Cover

G3L (MAX models only)

715008313



- · Heavy-duty materials to cover and protect the seat.
- Designed to fit the vehicle's lines perfectly.
- · Abrasion- and tear-resistant.
- Easily installed by stretching around the original seat: the elastic holds the cover securely in place.

Trailering Cover

G3L (except MAX models)

715005074



715005075



- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- · Quick and easy clip-on installation.
- Designed with the vehicle to fit its lines perfectly for less wind resistance and less water accumulation.
- · Can be installed with or without Can-Am accessories.

Flag

715000277 · Yellow



- Make sure everyone knows what you're riding.
- Perfect for dunes and new riders.
- 8-ft. (2.4 m) length.
- Includes flag mount (715000127).

Flag Mount (Not illustrated)

715000127

715008309 · Black/Gray

Ratchet Tie-Downs

• 400 lb (181 kg) safe working load.



- 1" x 10' (2.5 cm x 3 m) strap with Can-Am, Sea-Doo, and Ski-Doo logos.
- Deluxe ratchet with rubber handle.
- Coated S hooks.
- Pack of 2.

Heavy-Duty Ratchet Tie-Down

715008308



- 1,000 lb (454 kg) safe working load.
- 1.5" x 6' (38 mm x 1.8 m) strap with BRP brands.
- Deluxe ratchet with rubber handle.
- Black-coated clip hooks.
- 12" (300 mm) webbing included.
- Pack of two.

APACHE TRACK SYSTEMS

APACHE TRACK SYSTEMS FITTING GUIDE

Apache Backcountry							
Model Year / Mo	odel	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter	
2023 G3L	L	715005247	715004993	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required	

Apache 360 and Apache 360 LT						
Model Year	/ Model	Track	Track Mount	Track DPS Module	Engine Pre-filter	CVT Pre-filter
2023	G3L	715006323 (Apache 360) OR 715005103 (Apache 360 LT)	715004992	715007338 (without iTC) OR 715006266 (with iTC)	715008314	Not required

Apache Backcountry

Apache Backcountry Track System

G3L

715005247



- Designed to deliver the best flotation level and deep-snow performance on the market.
- Contact patch is 23% bigger than the Apache 360 LT.
- Impressive added ground clearance of 7" (18 cm), keeps the vehicle out of deep snow.
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow.
- $\bullet \ \ \text{Apache Backcountry Mounting Kit and engine and air intake pre-filters are required.}$
- · For winter use only.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Idler Wheel Kit

Apache Backcountry Track System (rear tracks only)

860201230 · 141 mm



- Reduces drag and rolling resistance
- Includes 2 wheels, brackets and hardware.
- Add up to 2 kits per rear track.
- Can extend slider life in hardened snow conditions.

Rail Ice Scratchers

Apache Backcountry Track System

860201728



- Provide additional lubrication in hard and icy conditions.
- Rail mounted, small, light.
- \bullet Design expands on coil concept to allow reversing without damage.
- Easily stored when not in use.

Apache 360 & 360 LT

Apache 360 Track System

G3L

715006323



- Multifunctional tracks perfect for any Can-Am ATV.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- · Apache 360 and 360 LT Mounting Kit and engine and air intake pre-filters are required.
- EC compliant.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 LT Track System

G3I

715005103



- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance of 16" (41 cm).
- 1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.
- · Reliable heavy-duty build.
- EC compliant.
- Contact patch is 7 to 9% bigger than the Apache 360's.
- Apache 360 and 360 LT Mounting Kit, Track DPS Module and Engine and air intake pre-filters are required.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache Accessories

Apache Backcountry Mounting Kit (Not illustrated)

G3I

715004993

- · Required to install Apache Backcountry Track System.
- DPS module and pre-filter not included.
- Improved installation time and switch seasons faster than ever.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Apache 360 & 360 LT Mounting Kit

(Not illustrated)

G3L

715004992

- Required to install Apache 360 and 360 LT Track Systems.
- DPS module and pre-filter not included.
- · Improved installation time and switch seasons faster than ever.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

Track DPS Module

(Not illustrated)

G3L (with iTC

71500626

- An innovative DPS module that ensures speedometer accuracy and optimized steering assist, which make for perfect track control and riding ease.
- Required to install the Apache and Backcountry Track Systems.

Installation of some accessories shown may impact vehicle compliance with some regulations. Consult your local dealer for information.

PROMOUNT PLOWS

PROMOUNT PLOW KITS

Steel - Reference Chart								
	54" Black Steel	54" Yellow Steel	60" Black Steel	60" Yellow Steel	66" Black Steel	66" Yellow Steel	72" Black Steel	72" Yellow Steel
Plow Kit	715006202	715006206	715006203	715006207	715006205	715006208	_	_
Blade	715004472	715005316	715004202	715005317	715006337	715006338	715004474	715006021
Push Frame	715004980	715004980	715004980	715004980	715004980	715004980	715004980	715004980
Mounting Kit	715009483	715009483	715009483	715009483	715009483	715009483	715009483	715009483

Flex2 - Reference Chart			
	60" Flex2	66" Flex2	72" Flex2
Plow Kit	715006204	715008206	_
Blade	715004203	715006265	715004485
Push Frame	715004980	715004980	715004980
Mounting Plate	715009483	715009483	715009483

Steel Plows

Can-Am ProMount 54" (137 cm) Steel Plow Kit

G3L

■ 715006202 · Black 715006206 · Yellow



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 60" (152 cm) Steel Plow Kit

G3L

■ 715006203 · Black 715006207 · Yellow



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Steel Plow Kit

G3L

■ 715006205 · Black ■ 715006208 · Yellow



This kit includes:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount Steel Blades 54" (137 cm) Blade

Fits ProMount Push Frame

■ 715004472 · Black ■ 715005316 · Yellow



- · Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility (some plow accessories are not compatible with 54" (137 cm) plows).
- Not compatible with ProMount Drift Cutters, Blade Extensions and Edge Markers.
- · Clears 50" (127 cm) when plow is fully angled.
- Blade height of 14.75" (37 cm).

Can-Am ProMount Steel Blades 60" (152 cm) Blade

Fits ProMount Push Frame

■ 715004202 · Black 715005317 · Yellow



- Blades available individually to create your own kit.
 Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 66" (168 cm) Blade

Fits ProMount Push Frame

■ 715006337 · Black ■ 715006338 · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Steel Blades 72" (183 cm) Blade

Fits ProMount Push Frame

■ 715004474 · Black 715006021 · Yellow



- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 Plow Kit

Can-Am ProMount 60" (152 cm) Flex2 Plow Kit

G3L

■ 715006204 · Black



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount 66" (168 cm) Flex2 Plow Kit

G3L

■ 715008206 · Black



This kit includes:

- Can-Am ProMount Flex2 Blade
- Push Frame with Quick-Attach System
- Mounting Kit
- Plow Roller Fairlead

Can-Am ProMount Flex2 Plows

Can-Am ProMount Flex2 60" (152 cm) Blade

Fits ProMount Push Frame

715004203



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- · Clears 54" (137 cm) when plow is fully angled.
- Blade height of 17" (43 cm).

Can-Am ProMount Flex2 66" (168 cm) Blade

Fits ProMount Push Frame

715006265



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impact occurs.
- Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- · Blade design provides best snow roll-off at any angle.
- Clears 60" (152 cm) when plow is fully angled.
- Blade height of 17" (43 cm).
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

Can-Am ProMount Flex2 72" (183 cm) Blade

Fits ProMount Push Frame

715004485



- Plow blade made of UHMWPE, flexible and impact absorbing material prevents damaging your plow when accidental impacts occur.
- · Replaceable wear blade.
- Large pin designed for easy blade rotation to eliminate snow buildup at pivot point.
- Blade design provides best snow roll-off at any angle.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.
- Clears 66" (168 cm) when plow is fully angled
- Blade height of 17" (43 cm).

Angle Plows

Can-Am ProMount Angle Blades 60" (152 cm) Steel Oneway State Blade

G3L

715007261



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 66" (168 cm) Steel Oneway State Blade

G3L

715007263



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 25" (63 cm) high and tapers down to 17" (43 cm).
- ${\boldsymbol{\cdot}}$ One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

Can-Am ProMount Angle Blades 72" (183 cm) Steel Oneway State Blade

G3L

715007264



- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- Wing end of plow measures 26" (67 cm) high and tapers down to 17" (43 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber Flap (715007299) designed to keep snow away from the driver is offered as accessory (sold separately).
- Can-Am branded.

ProMount One-Way State Blade Rubber Flap (Not illustrated)

715007299

Allows for more efficient snow projections in various snow conditions.

Can-Am ProMount Plow Accessories

Can-Am ProMount Push Frame with Quick-Attach System

G3L

715004980



- Heavy-duty steel tubes designed to withstand the roughest use.
- Mount location provides the ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self-aligning quick-attach system, an easy foot-release pedal and an ergonomic handle for plow angle adjustment.
- Allows blade to swivel left or right in five positions.
- · Compatible with all Can-Am ProMount blades.
- Plow Roller Fairlead and Plow Limit Switch recommended to extend winch cable lifespan.
- Can-Am ProMount Mounting Kit required for installation.

Can-Am ProMount Push Frame Extension

G3L

715006257



- 12" (30 cm) push frame extension.
- Required when plow is installed with Apache Track System.

NEW Can-Am ProMount Mounting Kit

CSI

715009483



- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- 20 mm mounting rods are designed to stay in place all year round without compromising on ground clearance.
- · No drilling required.
- · Quick installation directly to the chassis.
- · Plow Roller Fairlead included.

Can-Am ProMount Edge Markers

G3L

715004206



- Help locate the edges of your plow.
- Height: 24" (60 cm).
- · Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Drift Cutters

G3L

715006258



- · Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Can-Am ProMount Plastic Wear Blade

G3L

715004480 · 54" (137 cm) 715004481 · 60" (152 cm) 715004482 · 66" (168 cm)



• To help prevent scratches on smooth driveways and markable surfaces.

Can-Am ProMount Curved Wear Blade

G3L

715007791 · 60" (152 cm) **715007792** · 66" (168 cm) **715007793** · 72" (183 cm)



- Wear blade designed with a folded back bottom lip.
- The increased surface allows for less digging while plowing uneven surfaces.
- · Ideal for snow covered gravel, grass, paver stone and other soft surfaces.

Can-Am ProMount Plow Blade Extensions

G3L

■ 715004205 · Black 715005319 · Yellow



- Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" (137 cm) Blade).
- Longer Wear Blade can be installed to further extend the extra length already provided by the extensions.
- Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" (137 cm)
 Redee)

Back Drag Blade

ProMount Plows (60" and more)

715007794



- 1/4" thick steel swivel scraper.
- Lifts up when the vehicle is moving forward so as not to affect the scraping.
- · Increased capacity to pull snow.
- · More aggressive scraping in reverse mode.
- · Lifts the blade off the ground so that it scrapes evenly.
- Adjustable in length for compatibility with 60", 66" and 72" blades.
- Compatible with ProMount blades (Flex and Steel).

Plow Roller Fairlead

G3L

705009222



- ${\boldsymbol{\cdot}}$ Larger diameter lower roller reduces wear on wire rope for plow application.
- · Can be used with all ProMount plows.
- Included in the Can-Am ProMount Mounting Kit (715009483).

Pulley Kit for Alpine Super-Duty Plow

G3L

715000279



- Pulley kit to be used in conjunction with the winch when using a snow plow.
- Recommended to increase winch efficiency.
- To be used with the XT Front Bumper.

Plow	Limit	Switch

(Not illustrated)

G3L

715006319

- To control the cable tension when raising your plow system.
 - Prevents winch, plow push frame and vehicle damage.

Can-Am ProMount Plow Angling System

G3L


715007801



- Converts your plow system into an easy-to-control unit from the driver's seat.
- Using one hand to control all plow motions will allow you
- to easily concentrate and manage your plowing tasks.

 Compatible with ProMount Blade.
- Push Frame (715004980) is required.
- Push Frame Extension (715006257) is required for installation with the Front Rancher Bumper.
- · Winch and plow sold separately.





PARTS AND MAINTENANCE

Keep an Eye on These Parts	10
Genuine Parts	11
XPS Tires	11
Tires & Rims	11
Lubricant & Oil Change Kit	11
Maintananaa Producta	14









To make sure your ATV performs as you expect, **keep an eye on these components**:**

AIR FILTER

OIL FILTER	420256188
ENGINE OIL*	
4T 10W-50 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779234 9779235
4T 0W-40 Synthetic Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779139 9779140
4T 5W-40 Synthetic Blend Oil 1 quart / 946 ml 1 US gallon / 3.785 L	9779133 9779134
OIL CHANGE KIT*	
5W-40 Synthetic Blend Oil 500 cc or more V-twin engine	9779258
0W-40 Synthetic Oil 500 cc or more V-twin engine	9779259
10W-50 Synthetic Oil 500 cc or more V-twin engine	9779252
5W-40 Synthetic Blend Oil 450cc or less	9779256
0W-40 Synthetic Oil 450cc or less	9779257

715001333
707800371
707001786
715003483
422280283
422280360
715900248 715900249
715601015 715601014

CV	BOOT	KITS
G2,	G2L, G	2S

(except X mr models) Front Wheel Side Front Differential Side Rear	705401345 705401346 705501864
X mr models Front Wheel Side Front Differential Side Rear	705401354 705401355 705501864
WHEEL BEARINGS	293350150
A-ARM BUSHING KIT	703500875
BALL JOINTS	
Upper	706202044
Lower	706202045
SPARK PLUG	
450, 850, 1000R engines	715900352
570, 650, 1000 engines	715900642
BATTERY	
G2S. G2. G2L	

18 Amps. Wet (YTX20 L-BS) 296000444

DS (250, 90, 70, 50) 13 Amps. Wet (YTX16 L-BS)

709001120

FUEL FILTER

V31500MAA020

^{*} For Europe, please check correspondent PNs on page 117. **Refer to periodic maintenance chart for proper intervals.



To make sure your ATV performs as you expect, keep an eye on these components:**

Oil Filter	420256188
Oil Filter Cover O-Ring	420230922
Drain Plug Sealing Ring	420552280
Engine Air Filter	707800846
Spark Plug	715900785
Belt for 700/HD7	420280225
Belt for 500/HD5	420280226
Front Left Brake Pad	705602070
Front/Rear Right Brake Pad	705602071
Front CV Outer Boot Kit G3L	715500456
Front CV Inner Boot Kit G3L	715500457

715500464
715500465
293350150
706004511
706202045
706202044
296000444
420629231
420629225

^{*} For Europe, please check correspondent PNs on page 117. **Refer to periodic maintenance chart for proper intervals.

GENUINE PARTS

Oil Filters Sealing Ring (Oil Filter Cover) Sealing Ring (Drain Plug) **Oil Filters** Models Oil Filter G2S, G2 & G2L 420256188 420230923 420552280 G3L 420256188 420230922 420552280

Complete Engine Oil Change Kit also available — see page 117

Air Filters

- · Premium quality filter.
- **Premium Air Filter**

Performance Air Filter

- Prevents airborne contaminants from reaching your engine.
- · Protects internal components against premature wear.



Models

G2S, G2 & G2L 707800371 707800846 G3L

- The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.
- · Washable and reusable.



by Twin Air†

Models

G2S, G2 & G2L 715001333

CVT Air Filter (Not illustrated)

Models	
G2, G2L	715003483
G2S	707001786
G3L	707002886

Spark Plug

Spark Plug	Models	
	ATV 450/850/1000R	715900352
	ATV 570/650/1000	715900642
	ATV 500 / 700	715000705

Batteries

Yuasa† Batteries

• Top of the line models from the leading preferred original equipment battery suppliers in North America.



Models	3 A Wet (YTX4 L-BS)	10 A Wet (YTX12-BS)	18 A Wet (YTX20 L-BS)
G2S, G2 & G2L	_	_	296000444
G3L	_	_	296000444
DS 50, 70 & 90	V31500MAA020	_	_
Renegade 70, 110	V31500MAA020	_	_
DS 250	_	715900031	_

Axles

Premium CV Axle

- Premium quality design ideal for off-roading, heavy-duty and low speed torque usage.
- Includes CVs, shaft and boots with the best suited geometry for your Can-Am vehicle.



Models	Front Left	Front Right	Rear Left	Rear Right
G2, G2S (except X mr)	705402235	705402236	705502710	705502711
G2, G2S X mr	705403009	705402238	705503025	705503024
G2L (except 570 X mr)	705401429	705401428	705501898	705501897
G2L 570 X mr	705401115	705401116	705501485	705501486
G3L (non ABS models)	705402251	705402250	705502928	705502928
G3L (ABS models)	705402612	705402613	705502928	705503078

Brakes

- Built strong to last long heavy-duty construction stands up to hard braking.
- Designed to handle demanding riding conditions with challenging braking environments such as mud and dunes.

Metallic Brake Pad Kit

• Created specifically for use with Can-Am vehicles.



Models	Front Left	Front Right	Rear Left	Rear Right
G2S, G2 & G2L	715900248	715900249	715900248	715900249
G3L	705602070	705602071	N/A	705602071

Please contact your dealer or visit our online store at canamoffroad.com for suggested fitment.

Parts

A-Arm Bushing Kit

G2, G2L, G2S

703500875



- ${\boldsymbol{\cdot}}$ This bushing kit includes 2 bushings, a sleeve and a wear plate, as illustrated.
- All you need to renew your suspension A-arms.

Ball J	oints	
a		

Upper 706202044
Lower 706202045



- Robust design for off-road usage and sealed for prolonged durability.

Wheel Bearings (Not illustrated)

G2, G2L, G2S, G3L

293350150

- ${\boldsymbol{\cdot}}$ Sealed bearings for additional protection from water and dirt.
- **CV** Boot Kit
- Comes with clamps and grease.
- $\boldsymbol{\cdot}$ Genuine BRP CV Boot Kits ensure absolute compatibility and a perfect fit.



Models	Wheel Side	Differential Side	Wheel Side	Differential Side
G2, G2L, G2S (except X mr)	705401345	705401346	705501864	705501864
X mr	705401354	705401355	705501864	705501864
G3L	715500456	715500457	715500464	715500465

Belts

BRP Premium Drive Belt

- High-performance design ideal for off-road use.
- BRP-specific calibration adjusted to best suit your Can-Am vehicle.



Models	Premium Belt	CVT Gasket Cover
G2, G2S 450 cc & less	422280283	420430126
G2, G2S 500 cc & more	422280366	420430126
G2L Outlander 450 & Outlander MAX 450	422280283	420630292
G3L 500/HD5	420280226	420630255
G3L 700/HD7	420280225	420630255
1		1

Driven Clutch Spreader Tool

lot illustrated) G2, G2L, G2S, G3L

• Allows you to spread the secondary clutch open for easy belt replacement.

pDrive Pulley Service Kits

Ramp Roller Maintenance Set G3L

420629237



pDrive Ramp Roller Set

Torque Roller Maintenance Set

G3L

420629224

529036098



pDrive Torque Roller Set

XPS TIRES

SHOP BY USAGE





ROCK



MUD

XPS Trail Force





- · All-terrain radial tire.
- · 8-ply rated construction.
- · Versatile and suitable for many types of terrain.
- Aggressive tread pattern for better traction on dirt, mud and rocky terrains.
- Tread depth: 20 mm (0.78").

705402754 · 27X9R14

705503103 · 27X11R14

705403026 · 26X8R14

705503322 · 26X10R14

XPS Trail King







- · All-terrain radial tire.
- 8-ply rated construction.
- Aggressive tread pattern for tougher terrains.
- An almost continuous center tread offers a smoother trail ride.
- Tread depth: 26 mm (1.02").

705402825 – 28X9R14

705403081 – 27X9R14

705503181 – 28X11R14

705503355 – 27X11R14

705402713 – 26X8R12

705503073 – 26X10R12

XPS Trac Force





- All-terrain light truck style radial tire.
- 8-ply rated construction.
- Central tread for good grip and comfort on compact terrain.
- Tread depth: 18 mm (0.71").

705403080 – 30X9R14

705503354 – 30X10R14

705403416 – 32X10R16

XPS Hammer Force







- 8-ply rated construction.
- Rock-crawling tread pattern with unique contact patch.
- ${\boldsymbol{\cdot}}$ Aggressive sidewall for maximum traction when faced with technical terrains.
- Tread depth: 15 mm (0.59").

705402918 - 30X10R15

XPS Swamp Force







- Hybrid radial tire for mud and trail.
- 8-ply rated construction.
- Unique tread pattern allowing good grip in mud and mud ejection.
- Center tread provides for comfortable trail riding.
- Tread depth: 36-38 mm (1.41"-1.49").

700-102010 00/(10)(10

XPS Swamp King





- Bias tires for mud and trail.
- 6-ply rated construction.
- Ultimate performance in mud without sacrificing good trail handling.
- Tread depth: 38 mm (1.49").

705403201 – 30X9R14

705503387 – 30X11R14

705403028 – 28X8X14 **705503324** – 28X10X14

TIRES & RIMS

Tires

Carlisle ACT Tire

G2 (500-1000 XT models only)

705401333 · Front 705401334 · ℂ€ 705501769 · Rear 705501770 · ℂ€





Rear - 26" x 10" x 12".

Carlisle ACT Tire

G2 (400 XT models only)

705400606 · Front **705400326** · **€**

705500598 · Rear (€



• Front - 25" x 8" x 12".

• Rear - 25" x 11" x 12".

Carlisle ACT HD Tire

705402562 · Front

705502940 · Rear



• Front - 26" x 8" x 12".

Rear - 26" x 10" x 12".

Carlisle Badlands A/R Tire

705401331 · Front 705401332 · ℂ€ 705501767 · Rear 705501768 · ℂ€

G2 (500-1000 Base models only)



• Front - 26" x 8" x 12".

• Rear - 26" x 10" x 12".

Carlisle Trail Wolf Tire

G2 (400 Base models only) G2L (450/570) **705402890** · Front **705400607** · **€**

705503225 · Rear 705502165 · €



• Front - 25" x 8" x 12".

• Rear - 25" x 11" x 12".

ITP TerraCross Tire

G2 XTP, G2Limited

705402973 · Front

705502858 · Rear



- This smooth-riding tire will command every bit of traction from the ground while still managing to float across loose snow, sand and mud.
- Features extreme-duty construction for improved puncture protection and extra-tough rubber compound for increased tread life. The interlocking tread pattern and wide footprint make it one of the toughest and grippiest radials around.
- · Not EC compliant.
- Front 26" x 8" x 14".
- Rear 26" x 10" x 14".

ITP Holeshot ATR Tire

G2S

705400600 · Front **705400475** · **C€**





- Front 205/80R12 25" x 8" x 12".
- Rear 270/60R12 25" x 10" x 12".

ITP Mega Mayhem

G2 X mr 570 & 650 2018 & up G2S X mr 570 2018 &

705402131 · Front **705502645** · Rear

- 1.5" tread depth mud thrower tires.
- Surprisingly smooth ride on hard pack surfaces.
- 6-ply rated.
- Front 28" x 9" x 12".
- Rear 28" x 11" x 12".

ITP Cryptid Tire

G2 X mr 850 & 1000R 2018 & up G2S X mr 1000R 2018 & up

705402671



- Graduated lug height and paddle-like shoulder configuration provide maximum side bite for climbing in and out of the mud without compromising ride comfort on trails and hard pack.
- 6-ply rated.
- 30" x 9" x 14".

Gorilla Silverback Tire

G2 (850 & 1000 models only)

705401501



- AT30X9-14 Gorilla Silverback mud tire.
- Sold individually.
- · Not EC compliant.
- 30" x 9" x 14".

Maxxis Mudzilla Tire

G2 (X mr 570 & 650 models only)

705501836 · Rear



- · Not EC compliant.
- Rear 28" x 10" x 12".

Kenda Klaw MXR Tire

DS 90 X

V42711DGF01HLL · Front

V42712DGF01HLL · Rear

Silver with clear coat



- Front 20" x 6" x 10".
- Rear 18" x 10.5" x 8".

Rims

G2 DPS, G2 XT, G2 MAX 650, G2 MAX XT, G2 MAX Limited

705401853 · Front Black and machined 705401852 · Front Black with clear coat

705401851 · Front

705502402 · Rear ■ Black and machined **705502401** · Rear ■ Black with clear coat 705502400 · Rear Silver with clear coat

14" Rim



- Premium cast aluminum black painted with machining and clear coat rim.
- Center hole: 72 mm.
- Bolt circle pattern: 4/136 mm.
- Front 14" x 6.5" offset = 40 mm.
- Rear 14" x 8.5" offset = 50 mm.

Note: Matching Nuts - 250100100 Black, 250100082 Chrome/Matching Cap - 705400928

705402309 · Front 705402222 · Front 705402307 · Front 705502770 · Rear

705502702 · Rear

705502768 · Rear


■ Black and machined ■ Black with clear coat Silver with clear coat

■ Black and machined

■ Black with clear coat Silver with clear coat

14" Rim

G2 DPS, G2 XT, G2 MAX Limited, G2 North Edition, G2 MAX North Edition





Outlander X mr Rim

X mr models front and rear wheels

705401848 · Front 705401849 · Front ■ Black and machined



 $\hbox{\bf \cdot } \hbox{\bf Cast aluminum rim with trend setting explosive styling so you can ride} \hbox{\bf --and look---like a trailblazer}. \\$

• Front - 14" x 6.5" offset = 10 mm.

Note: Matching Nuts - 250100100 Black, 250100082 Chrome/Matching Cap - 705401541

Outlander Rim (Camo Model)

G2, G2L, G2S

705401127 · Front

Black with clear coat

705501493 · Rear

■ Black with clear coat



· Black with clear coat aluminum rim.

- Front 12" x 6" offset = 41 mm.
- Rear 12" x 7.5" offset = 51 mm.

12" Beadlock Rim

G2, G2L, G2S

705401678 · Front

Black

705502244 · Rear

Black



· Black with clear coat aluminum rim.

- Needs 16 bolts (250000787) for installing the beadlock.
- · Choice of beadlock color (not included).
- Front 12" x 6" offset = 41 mm.
- Rear 12" x 7.5" offset = 51 mm.

12" Beadlock Ring

G2, G2L, G2S

705401763 · Can-Am Red 705401810 · Yellow 705401811 · Orange Crush



· Cast aluminum beadlock.

• Must be installed on Front Rim (705401678) and Rear Rim (705502244).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928

14" Beadlock Rim

705401594 · Front 705503191 · Rear

■ Black Black

· Black with clear coat aluminum rim.

- · Choice of beadlock color (not included).
- · Needs 16 bolts (250000787) for installing the beadlock.
- Front 14" x 6.5" offset = 41 mm.
- Rear 14" x 8" offset = 51 mm.

14" Beadlock Ring

G2

705401586 · Manta Green 705401702 · Octane Blue

705401837 · Can-Am Red 705401840 · ■ Black

· Cast aluminum beadlock.

• Must be installed on Front Rim (705401594) and Rear Rim (705503191).

Note: Matching Nuts - 250100184 Black, 250100185 Chrome/Matching Cap - 705400928

LUBRICANT & OIL CHANGE KIT

Lubricant

XPS 4T 10 W-50 Synthetic Oil

9779234 (US) · 1 at / 946 ml 9779240 (EU) · 1 qt / 946 ml


9779235 (US) · 1 US gal / 3.785 L



- · Engineered for heavy-duty and high-performance 4-stroke engines, including turbocharged, supercharged
- Formulated using carefully selected and strenuously tested base stocks and custom additives.
- · Offers thick film strength to protect bearings, and a proven high-temp detergency to minimize deposits, prevent shear, provide thermal stability, and combat fuel dilution to ensure maximum performance from your engine.

XPS 4T 0 W-40 Synthetic Oil

9779139 (US) · 1 at / 946 ml 9779286 (EU) · 1 at / 946 ml 9779140 (US): 1 US gal / 3.785 L **9779287** (EU) · 1 US gal / 3.785 L



- Powersport formula with premium anti-wear and anti-corrosion additives.
- The best choice for high-performance snowmobile, ATV and SXS 4-stroke engines used in cold weather.
- · Provides superior engine and transmission protection against heat, rust and corrosion.
- Delivers optimal performance in high and low temperatures.

XPS 4T 5 W-40 Synthetic Blend Oil

9779133 (US): 1 at / 946 ml 9779290 (EU) · 1 qt / 946 ml 9779134 (US)· 1 US gal / 3.785 L 9779291 (EU) · 1 US gal / 3.785 L



- · Off-road formula with premium anti-wear and anti-corrosion additives.
- · Designed for high-performance off-road, on-road and PWC 4-stroke engines, including turbo or supercharged powersports engines.
- · Provides superior engine and transmission protection against rust and corrosion, even in extreme conditions.

Oil Change Kit

Engine Oil Change Kit

- · Ultra-convenient "all-in-one" Engine Oil Change Kit saves time and money.
- Includes XPS Synthetic or Synthetic Blend Oil, oil filter, O-rings and washer.

Models 5W-40 Synthetic Bland Oil /

5W-40 Synthetic Blend Oil / 450 cc or less	9779256 (US) 9779408 (EU)
0W-40 Synthetic Oil / 450 cc or less	9779257 (US) 9779409 (EU)
5W-40 Synthetic Blend Oil / 500 cc or more V-twin engine	9779258 (US) 9779405 (EU)
0W-40 Synthetic Oil / 500 cc or more V-twin engine	9779259 (US) 9779406 (EU)
10W-50 Synthetic Oil / 500 cc or more V-twin engine	9779252 (US) 9779401 (EU)
0W-40 Synthetic Oil / 650 ACE	9779481 (US) 9779417 (EU)
5W-40 Synthetic Blend Oil / 900 ACE	9779260 (US) 9779410 (EU)
10W-50 Synthetic Oil / 900 ACE	9779261 (US) 9779411 (FU)

MAINTENANCE PRODUCTS

75W-90

9779158 (US) · 1 qt / 946 ml **9779212** (EU) · 1 qt / 946 ml

9779160 (US) · 1 qt / 946 ml **9779215** (EU) · 1 qt / 946 ml

Synthetic Gear Oil

- Uses custom additives to provide the best performance in Visco-Lok™ and Smart-Lok™ differentials.
- Allows higher loads, superior shear stability and reduced oxidation.
- Exceptional wear protection and superior performance at all operating temperatures.

Extended Life Pre-Mixed Coolant

9779150 · 1 qt / 946 ml **619590728** (Scandinavia) · 1 qt / 946 ml



- Antifreeze/coolant contains the correct dilution and the necessary additives to prevent corrosion and inhibit cavitation in BRP cooling systems
- · Long-life, 5-year formula specially formulated for BRP vehicles.
- · Superior heat transfer.
- Ideal replacement for vehicles that normally use a 2-year antifreeze/coolant (green).
- 5 years (orange).

Anti-Corrosive Lubricant

9779167

619590724 (Scandinavia)

• 12 oz / 340 g

No.

- Multipurpose lubricant that can also be used to prevent rust, corrosion and moisture intrusion.
- It contains extreme pressure additives that work as an all-around lubricant for just about anywhere lubrication is needed.

Extreme Duty Suspension Grease

(Not Illustrated)

9779708 · 14 oz / 400 g

- Designed to work specifically with the components found in Can-Am vehicle suspensions.
- It is highly stable and offers optimal lubrication at both extreme cold and high temperatures while protecting suspension components from dirt and moisture, as well as corrosion under extreme washout conditions.

XPS Spline Grease

Not Illustrated,

9779704 (US) · 4 fl oz / 118 ml **9779472** (EU) · 4 fl oz / 118 ml

- Enhanced rust and corrosion resistance.
- Protects against seizure, heat-freeze, galling, rust and corrosion.

DOT 4 Brake Fluid

9779151 (US) · 12 fl oz / 355 ml **9779207** (EU) · 12 fl oz / 355 ml



- Meets or exceeds all DOT3 and DOT4 brake fluid requirements
- High-temperature formula resists fade and also conditions seals and O-rings in braking system.

Racing Brake Fluid RS600

9779152 · 12 fl oz / 355 ml




- $\bullet \ \, \text{Exceeds DOT4 brake fluid requirements for extreme conditions and competition use.}$
- $\bullet \ \, \text{Extreme, 579-degree boiling point temperature is ideal for high-demand competition conditions to combat brake fade.}$
- Will not harm seals or braking system components.
- Should be added only to a clean/unfilled system to avoid dilution and diminished performance.
- Low-moisture formula slows water vapor absorption through multiple heat cycles.
- Recommended for use in Ski-Doo and Can-Am racing applications.

Fuel Stabilizer

9779171 (US) \cdot 8 fl oz / 236 ml **9779183** (EU) \cdot 8 fl oz / 236 ml



- Ethanol-compatible and will stabilize fuel in your tank to keep it from breaking down and causing hard starting, throttle hesitation and poor run quality.
- Since ethanol attracts moisture, this product contains powerful anti-corrosion additives to protect fuel system components.
- Prevents problems associated with E10 fuels.





BRP REIMAGINES THE WAY YOU ACCESS YOUR WORLD

Can-Am is one of many success stories from BRP, the global company behind some of the most daringly innovative products and experiences that move you.

Because it's not about the destination, it's about the journey — yours.

Discover our brands:

SKI-doo. LYNX. SEC-200. Can-am. ROTAX. ALUMACraft. MANITOL. QUINTREX.

www.brp.com

